

# Catalog 2019

Skirting boards,  
floor profiles  
and accessories



**Döllken**  
Profiles


we create.  
we innovate.

# Perfect finish for every floor

As versatile as the modern floor coverings are the variants of skirting boards from Döllken Profiles, which ensure a perfect transition between floor and wall. From the core skirting board to the special profile - the location determines the model. Whether a purely plastic-based solution or a high-quality core skirting board with HDF core, all products

are developed for and with the customer and are therefore perfectly matched to the requirements of the professional floor layer. New, individual collections - adapted to current trends in existing flooring such as LVT, laminate and textile - are regularly developed.

## From the floor to the skirting board



Decorating expertise is one of Döllken Profiles' most important capabilities, making the company virtually unique in the industry. With a pronounced decor expertise, current trends are transformed into successful product solutions. Our decor finder already provides more than 5000 skirting board recom-

mendations for current flooring collections. Customer-oriented, sustainable and service-oriented, innovative ways of processing and product development have been pursued for more than 25 years.

Are you looking for the right decor for your floor covering? Then take a look at our decor finder at [www.doellken-weimar.de](http://www.doellken-weimar.de)



# Quickly brought around the corner

**5** tools for more efficient laying

**50%** save time when punching instead of sawing

**100%** customer satisfaction, because no unsightly silicone post-work is necessary

**0** dirt and dust

**6000** satisfied customers in over **57** countries

**60.000** punching in the market



# Customer support

We pay attention to relationships with clients.  
We support them with our knowledge, we develop  
new solutions together.



## Döllken App

- Ordering samples and product templates
- Ability to ask open questions
- Advanced search engine for colors, decors and products
- Tips and advice on installation



## Customer service

- Professional sales support
- Modern logistics centers
- Cooperation with installers
- Regional producer representatives all over the world



i

We invite you to our Facebook profile, where we publish  
a lot of useful information.




# Tools

- Sales dedicated tools and accessories
- Service and calibration of equipment
- Warranty and post-warranty support



# Assembly training

- Support for a professional team throughout the country
- Regular training and demonstrations
- Instructional videos showing assembly methods



Did you know? We offer you many tips and Tricks on YouTube.  
Visit us at: [www.youtube.com/doellkenweimar](http://www.youtube.com/doellkenweimar)

i

# From Professionals for Professionals

**Döllken Profiles** are products aimed mainly at the professional market - for installers appreciating the speed, cleanliness and precision of assembly as well as excellent quality and damage resistance. Cooperation will also be appreciated by distributors who expect excellent cooperation, regular deliveries and excellent logistic support.

- **Adjustment:** skirting boards and floor profiles are suitable for all kinds of floors, are visually attractive and perfectly matched to the flooring collection.

- **Availability:** thanks to production in Germany and many logistics centers, the manufacturer will ensure fast delivery and, if necessary, efficient production and fulfillment of the most demanding orders
- **Cleanliness, precision and safety:** all Döllken Profiles are designed to simplify assembly and ensure total safety. That's why we also offer dedicated tools that ensure professional, clean assembly.

## Environmental Protection

At Döllken Profiles, environmental protection plays a central role in both the products and the production process.



### Greenguard Gold certification

All Döllken Profiles products meet the strictest and most comprehensive requirements for reducing the emission of pollutants into indoor air and can be safely used in sensitive environments such as schools or healthcare facilities.



### Emission

All solid core skirtings have a very low emissivity. There will be no harmful organic compounds released into the indoor air.



Das Zeichen für verantwortungsvolle Wirtschaft



### Further certifications

All core skirting boards are made of chlorine-free plastic, certified to ISO 16000 and low in emissions.

All skirting boards are produced exclusively with phthalate-free plasticizers.

The wood profiles are subject to careful control and are FSC / PEFC certified.

## Legend of icons



Döllken  
Mitre tool



Döllken hot melt



Adhesive Tape  
UZIN



Strip cutter



Metal clip



Easyscooter



Joint Filler



Rubber  
hammer



Climate  
resistant



Assembly



Durable



Skirting  
scissors



Clamping  
device XL



Miter saw



Screws



Hammered  
fastener



Döllken  
Nails

# Table of Contents

	Seite
Solidcore skirtings .....	8-31
Wooden skirtings .....	32-45
System skirtings .....	46-53
Universal skirtings .....	54-67
Flexible skirtings .....	68-89
Floor & special profiles .....	90-113
Aluminium profiles .....	114-123
Kitchen profiles .....	124-133
Floor underlays .....	134-135
Kitchen profiles .....	116-139
Tools .....	140-149
SB Accessories .....	150-159

## Contact with customer support

### Retail:

+49 3643 4170 711

info@doellken-profiles.com

### Construction market:

+49 2043 979 444

kundencenter@praktikus.de

### Industry:

+49 2043 979 444

info@doellken-profiles.com

### Craftsmen and architects:

+49 3643 4170 222

info@doellken-profiles.com

Our service for you: For requests out of business hours, you can contact us via chat (available Döllken App). We will contact you as soon as possible!

i

### Dear customers and interested parties,

please note that our main catalog includes the complete range of Döllken Profiles (formerly Döllken-Weimar), ClassicLine and Praktikus now. For this purpose, products are listed with accessories, colors, packaging.





Solidcore skirtings

# Convincing in practical application as well as in the ecological balance

The Solidcore skirtings are characterized by the following features and advantages:

- High quality cores made of certified softwood fibers
- Sheath with high performance polymers
- Very robust and durable
- High laying efficiency because all Solidcore skirtings are die-cut

## Overview of solidcore skirtings

	Page
EP 60/13 flex life .....	10
S 60 flex life Top .....	11
S 100 life .....	12
Solidcore skirting 60 .....	13
S 66/22 flex life .....	14
Cubu flex life .....	16
Cubu flex life Premium .....	18
Cubu Stone & Style .....	19
Cubu Touch & Style .....	20
Cubu flex life XL .....	21
Cubu Touch & Style XL .....	22
Hamburg Style .....	26
D 60 life Top .....	27
C 60 life Top .....	28
TS 60 life Top .....	29
TS 100 life Top .....	30
Carpet Skirting Board 60 .....	31

Please note that the decorative illustrations and colors do not always correspond to the real decor and may lead to color deviations. If you want to have a binding decor in advance, just use our sample service in our app!



# EP 60/13 flex life

Also in  
80 mm Height  
available on request  
(minimum purchase  
from 1000 m)

## Suitable for the following types of flooring

- Solidcore skirting board especially for design flooring

## Product information

- HDF core encased in a chlorine free, hardwearing polyblend based on PP/TPE, with flexible lip seals
- Patterns matching to flooring collections according to the enclosed lists.
- The profile end caps of the EP 60/13 can be formed from the skirting without additional accessories simply by using the Döllken Mitre Tool.

TCF  
totally  
chlorine-  
free

## Installation recommendations




Döllken  
Mitre tool



Döllken hot melt



Döllken  
skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,5 m (single pieces for an additional fee)

## Colors

- over 300 decors in offer

The whole decor  
range can be  
found on our  
homepage or in  
the app.

# S 60 flex life Top

Lenght  
2,57 m  
5,15 m  
available  
on request

## Suitable for the following types of flooring

- Solidcore skirting board for all types of flooring

## Product information

- HDF core encased in a chlorine free, hardwearing polyblend based on PP/TPE, with flexible lip seals.

TCF  
totally  
chlorine-  
free

## Installation recommendations



Döllken Mitre tool




Döllken hot melt



Adhesive Tape  
UZIN



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 20 x 5,15 m
- 1 pkg. = 20 x 2,57 m

## Accessories

- 1 pkg. = 10 pcs.
- available in 3 colors



Endcap  
left/right



Connector

## Selected colors

- 1013 white
- 1147 gray
- 1144 black

## Colors



[Special colors available from 500 m.]

# S 100 life

Length  
2,57 m  
5,15 m  
available  
on request

## Suitable for the following types of flooring

- Solidcore skirting board for all types of flooring

## Product information

- HDF core encased in a chlorine free, hardwearing polyblend based on PP/TPE , with flexible lip seals.

TCF  
totally  
chlorine-  
free

## Installation recommendations




Döllken  
Mitre tool



Döllken hot melt




Döllken  
skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,57 m
- 1 pkg. = 10 x 5,15 m

## Colors



[Special colors available from 500 m]

# Solidcore skirting 60

Also in  
80 mm Height  
available on request  
(minimum purchase  
from 1000 m)

## Suitable for the following types of flooring

- Solidcore skirting board for all types of flooring

## Product information

- HDF core encased in a chlorine free, hardwearing polyblend based on PP/TPE, with flexible lip seals.

## Installation recommendations



Döllken  
Mitre tool




Döllken hot melt



Adhesive Tape  
UZIN



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 20 x 2,55 m

## Accessories

Available as:

- SB: 5 x 2 pcs.
- GP: 50 pcs.



Internal  
corner



External  
corner



Endcap  
left/right

### Selected colors for SB-pack:

oak  
oak rustic  
light gray  
white  
gray  
black  
maple  
light beech  
oak beige

### Selected colors for GP-pack:

oak  
oak rustic  
white  
gray  
black  
light beech  
maple

## Colors



2999  
rustic



3000  
walnut tree



1229  
silver gray



1230  
white



1231  
light gray



1232  
dark gray



1233  
brown



1234  
black



3001  
white ash



3002  
light beech



3010  
red light  
beech



1235  
beige



3008  
maple



3004  
oak rufino



3005  
oak beige



3007  
maple  
country




3003  
marble  
beige




3009  
dark beech



3006  
maple  
london



3011  
wenge



3012  
walnut



3013  
bright  
walnut



3014  
natural oak



1237  
gray



3016  
gray ash



3018  
light beech



3020  
oak



1239  
anthracite



3021  
aspen light  
oak

# S 66/22 flex life



Available  
as rear-  
ventilated  
version!

## Suitable for the following types of flooring

- Solidcore skirting board especially for design flooring

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- available rear-ventilated in white, light grey, alu metallic, dark beech, light beech, light oak, dark oak, red beech and cork




## Installation recommendations



Döllken  
Mitre tool



Döllken hot melt



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,5 m (single pieces for an additional fee)

## Colors



1013  
white



0138  
light gray



1147  
gray



1168  
alu metallic



2279  
dark beech



2280  
light beech  
nature



2282  
light oak

[Special colors available from 500 m]

# The Cubu Family

Can be combined in a variety of ways

Your own individual Cubu available on request!

myCUBU



4 heights



2 thickness



4 foil types

- Chlorine-free plastic foils
- Paper foils
- Haptic foils
- Real metal foils

## Advantages that convince:

All Cubu models are covered with durable and water-repellent-plastic. A perfect bottom finish that still gives you years of enjoyment.



Durable and sturdy against bumps



Stampable: Easy to process, fast assembly



Water-repellent plastic coating

- Closed corners, no optical breaks through open cut edges, used silicone or molded parts
- Greenguard certified: safe to use in sensitive environments, such as schools or health facilities
- For all types of flooring

## Suitable for the following types of flooring

- Solidcore skirting board for all types of flooring

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- Profile ends can be formed without additional blocks with the Döllken skirting board mitre tool from the profile

TCF  
totally  
chlorine-  
free

## Installation recommendations




Döllken  
Mitre tool



Döllken hot melt



Döllken  
Joint Filler-set



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,5 m

## Accessories

- 1 pkg. = 5 x 2 pcs.



Blocks  
as indoor  
and external  
corner

Selected  
colors  
1013 white  
1063 silver

i

Available in four different heights!

## Colors



1013  
white



1012  
light gray



1209  
anthracite



1245\*  
champagne



1246\*  
platinum  
silver

\*Colors available only for 60 and 80 mm height!

[Special colors available from 1000 m]



# New decors

A suitable surface  
for every room

# Cubu flex life Premium

Exclusive  
design with  
real metal  
optics

myCUBU

## Suitable for the following types of flooring

- Solidcore skirting with real metal finish, making it an excellent design element for the sophisticated design of floors

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- Finishing with a real metal foil
- Flexible wall and floor lips adapt to the unevennesses of the respective surface
- The profile ends as well as the interior and exterior
- Profile ends can be formed without additional blocks with the Döllken skirting board mitre tool from the profile

TCF  
totally  
chlorine-  
free


## Installation recommendations



Döllken  
Mitre tool



Döllken hot melt



## Tips from the professional:

For optimum support of the core skirting, it is advisable to use the support blocks that belong to the mitre tool. These can be found on page 114.



## Accessories, colors, packaging

• 1 pkg. = 10 x 2,5 m

## Colors



[Special colors available from 1000 m]

## Suitable for the following types of flooring

- Solidcore skirting board especially for floor coverings with stone decors and concrete looks

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- Profile ends can be formed without additional blocks with the Döllken skirting board mitre tool from the profile
- Durable and resistant to climatic changes
- Trendy stone and concrete looks




## Installation recommendations



Döllken  
Mitre tool



Döllken hot melt



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,5 m (single pieces for an additional fee)

## Colors



2825  
travertine



2824  
dark travertine



2816  
concrete light gray




2817  
concrete gray



2823  
concrete silver



2819  
slate anthracite



2822  
slate



2821  
metal



2818  
iron rust



2820  
slate bright

(Special colors available from 1000 m)

## Tips from the professional:

For optimum support of the core skirting, it is advisable to use the support blocks that belong to the mitre tool. These can be found on page 114.



# Cubu Touch & Style

Sensible  
surface  
in the natural  
look

myCUBU

## Suitable for the following types of flooring

- Solidcore skirting board characterized by a three-dimensional embossed surface

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- Profile ends can be formed without additional blocks with the Döllken skirting board mitre tool from the profile
- Natural look with a special feel, thanks to the three-dimensionally embossed foil in true-to-nature decors
- Especially recommended for laminate floors

## Installation recommendations




Döllken  
Mitre tool



Clamping  
device XL



Döllken hot melt



TCF  
totally  
chlorine-  
free

## Accessories, colors, packaging

- 1 pkg. = 10 x 2,5 m (single pieces for an additional fee)

## Colors



3029  
colonial oak  
brown



3030  
ridge oak  
tan



3031  
colonial oak  
honey



3032  
colonial oak  
light



3033  
ridge oak  
grey



3034  
ridge oak  
silver



3035  
royal oak  
grey



3036  
colonial oak  
white



3037  
colonial oak  
mauve



3038  
downing oak  
light

## Suitable for the following types of flooring

- Solidcore skirting for all types of flooring, especially for covering big expansion gap

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- Profile ends can be formed without additional blocks with the Döllken skirting board mitre tool from the profile
- More scope for covering expansion joints up to 18 mm, especially when using laminate

## Installation recommendations



Döllken  
Mitre tool




Clamping  
device XL



Döllken hot melt



Döllken  
Joint Filler-set



TCF  
totally  
chlorine-  
free

## Accessories, colors, packaging

- 1 pkg. = 6 x 2,5 m (Cubu XL 80 mm height)
- 1 pkg. = 8 x 2,5 m (Cubu XL 60 mm height)

## Accessories

- 1 pkg. = 5 x 2 pcs.



Blocks  
as indoor  
and external  
corner

Selected colors  
1013 white

## Colors



1013  
white



1012  
light gray



1246  
platinum  
silver

[Special colors available from 1000 m]

## Tips from the professional:

For optimum support of the core skirting, it is advisable to use the support blocks that belong to the punch. These can be found on page 114.



# Cubu XL Touch & Style

Sensible  
surface  
in the natural  
look

myCUBU

## Suitable for the following types of flooring

- Solidcore skirting board characterized by a three-dimensional embossed surface

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- Profile ends can be formed without additional blocks with the Döllken skirting board mitre tool from the profile
- Natural look with a special feel, thanks to the three-dimensionally embossed foil in true-to-nature decors
- Especially recommended for laminate floors

## Installation recommendations




Döllken  
Mitre tool



Clamping  
device XL



Döllken hot melt




TCF  
totally  
chlorine-  
free

## Accessories, colors, packaging

- 1 pkg. = 8 x 2,5 m (single pieces for an additional fee)

## Colors





(Special colors available from 1000 m)



# Les Couleurs® Le Corbusier®

Skirting Boards  
in 63 originals  
Les Couleurs®  
Le Corbusier Colours®






© FLC/ADAGP

Le Corbusier's selection of colours was purely subjective. Based on his own cosmos, he selected hues from nature and those with a historical, artistic or associated background. It is perhaps this subjectivity of an ingenious mind which makes the aesthetics of these two collections so unique, having lost nothing of their grace, energy and presence even after several decades. All of the hues on the colour keyboard can be harmoniously combined with each other. His "Polychromie architecturale" is therefore both a practical work tool and a work of art for many architects and designers.

The particular feature of the Les Couleurs® Le Corbusier® colour system developed by world-renowned pioneer of modern architecture Le Corbusier® is that each of the 63 colours can be combined with any of the other colours in the system.



# Hamburg Style



## Suitable for the following types of flooring

- Classic style solidcore skirting for wood or laminate flooring

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- Profile ends can be formed without additional blocks with the Döllken skirting board mitre tool from the profile
- Durable and resistant to climatic changes
- Classic, timeless design for universal use

## Installation recommendations



Döllken  
Mitre tool




Clamping  
device XL



Döllken hot melt



Döllken  
Joint Filler



TCF  
totally  
chlorine-  
free

## Accessories, colors, packaging

- 1 pkg. = 8 x 2,5 m (Hamburg Style 60 mm height)
- 1 pkg. = 6 x 2,5 m (Hamburg Style 80 mm height)
- 1 pkg. = 7 x 2,5 m (Hamburg Style 100 mm height)

## Colors



1013  
white

[Special colors available from 1000 m]

Available in three different heights!

i

## Tips from the professional:

For optimum support of the core skirting, it is advisable to use the support blocks that belong to the mitre tool. These can be found on page 114.



# D 60 life Top

Now available without sealing lip!

i

## Suitable for the following types of flooring

- Solidcore skirtings especially for gluing in infills of floor covering

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- For gluing strips of flooring, suitable for a flooring thickness of 4.5 mm
- The design cover strips are also stamped with Holdfast for the mitre tool 2001

TCF  
totally  
chlorine-  
free

## Installation recommendations



Döllken  
Mitre tool



Döllken hot melt




Döllken  
Strip cutter




Döllken  
Skirting scissors



Adhesive Tape  
UZIN



D 60



D 60 (without  
sealing lip)

## Accessories, colors, packaging

- 1 pkg. = 20 x 5,15 m

## Accessories

### Endcaps:

- 1 pkg. = 10 pcs.
- available in 6 Colors



Endcap  
left/right

Selected colors  
1013 white  
1086 light beige  
1064 silver gray  
1083 stainless steel  
1144 black  
1091 chocolate brown



Holdfast

### Holdfast:

1 pkg. = 1 set (2 pcs.)

## Colors D 60



[Special colors available from 500 m]

## Colors D 60 (without sealing lip)



# C 60 life Top

Also in  
**100 mm**  
height available!  
(on demand)

## Suitable for the following types of flooring

- Solidcore skirtings especially for gluing in infills of floor covering

## Product information

- HDF core seamlessly encased in a chlorine free, hard-wearing polyblend based on PP/TPE, with two soft lip seals (wall and floor)
- For gluing strips of flooring, suitable for a flooring thickness of 4.5 mm
- The design cover strips are also stamped with Holdfast for the mitre tool 2001

TCF  
totally  
chlorine-  
free

## Installation recommendations



Döllken  
Mitre tool



Döllken hot melt




Döllken  
Skirting scissors



Döllken  
Strip cutter




Adhesive Tape  
UZIN



Lenght: 5,15 m

- 1 pkg. = 20 x 5,15 m

## Colors




[Special colors available from 500 m]

Lenght: 2,55 m

- 1 pkg. = 20 x 2,55 m

## Colors



[Special colors available from 500 m]

# TS 60 life Top

## Suitable for the following types of flooring

- Solidcore skirting for carpets

## Product information

- HDF core seamlessly enclosed in a chlorine-free, durable PP / TPE-based polyblend with cable channel
- for gluing in carpet strips
- for carpets with plasticized PVC backing
- also available without tape (only 1013 white)

TCF  
totally  
chlorine-  
free

## Installation recommendations



Döllken  
Mitre tool




Döllken hot melt



Adhesive Tape  
UZIN



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 20 x 5,15 m

## Accessories

### Endcaps:

- 1 pkg. = 10 pcs.



Endcap  
left/right

Selected colors  
1013 white

## Tips from the professional:

Please also note the processing instructions and videos on our website [www.doellken-profiles.com](http://www.doellken-profiles.com), in the Döllken app or on YouTube




## Colors



1013  
white



1145  
white-gray



2551  
white wood



2549  
gray wood



1012  
light gray



1152  
silver metallic



1147  
gray



2545  
light oak



2543  
light beech



2540  
marcote



2546  
walnut tree



2538  
oak rustic



1082  
brown



1144  
black



1246  
platinum  
silver



1245  
champagne

[Special colors available from 500 m]

# TS 100 life Top



## Suitable for the following types of flooring

- Solidcore skirting for carpets

## Product information

- HDF core seamlessly enclosed in a chlorine-free, durable PP / TPE-based polyblend with cable channel
- for gluing in carpet strips
- for carpets with plasticized PVC backing
- also available without tape (only 1013 white)

TCF  
totally  
chlorine-  
free

## Installation recommendations



Döllken  
Mitre tool




Döllken hot melt



Adhesive Tape  
UZIN



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 20 x 5,15 m

### Tips from the professional:

Please also note the processing instructions and videos on our website [www.doellken-profiles.com](http://www.doellken-profiles.com), in the Döllken app or on YouTube



## Colors



1013  
white



1147  
gray

[Special colors available from 500 m]

# Teppichkernleiste 60



## Suitable for the following types of flooring

- Solidcore skirting for carpets

## Product information

- HDF core seamlessly enclosed in a chlorine-free, durable PP / TPE-based polyblend with cable channel
- for gluing in carpet strips
- for carpets with plasticized PVC backing
- also available without tape (only 1013 white)
- e.g. for carpet tiles

## Installation recommendations



Döllken  
Mitre tool




Döllken hot melt



Adhesive Tape  
UZIN



Döllken  
Sockelleisten-  
schere



## Alle Vertriebslinien


- 1 pkg. = 20 x 2,55 m

## Tips from the professional:

Please also note the processing instructions and videos on our website [www.doellken-profiles.com](http://www.doellken-profiles.com), in the Döllken app or on YouTube



## Colors



1238  
white

1241  
light gray

1242  
dark gray

3022  
oak

3023  
light beech

1243  
black

[Special colors available from 500 m]

# Wooden skirtings



# Convincing in practical application as well as in the ecological balance

## Clear shapes – beautiful decor – multiple applications

Döllken Weimar also applies its many years of experience and expertise to the natural material wood. High-quality materials are used to create skirting boards that combine aesthetics, quality and durability. The PEFC und FSC certificates document the environmental credentials of raw materials, and the various shape and colour designs meet every aesthetics requirement. We have products on offer that extend beyond our standard range and would be happy to advise you.

## Overview the wooden skirting

	Page
MDF skirting board Classic 40 .....	34
MDF skirting board Modern 60 .....	35
MDF skirting board Cubica 50 .....	36
MDF skirting board X-Kreativ .....	36-37
MDF quarter round 12 .....	37
MDF concave skirting 22 .....	38
MDF corner protection 22 .....	38
MDF flat skirting board 60 .....	39
MDF corner protection 22 Flex .....	40
MDF flat universal skirting board 25 .....	40
Veneer skirting Classic 40 .....	41
Veneer skirting Classic 60 .....	42
Veneer skirting Modern 40 .....	42
Veneer skirting Modern 60 .....	43
Veneer skirting Cubica 60 .....	44
Veneer quarter round 14 .....	44
White & Black Style .....	45
White & Black Cubica .....	45



The wood profiles are subject to careful control and are FSC / PEFC certified.



# MDF skirting board Classic 40



## Suitable for the following types of flooring

- Wooden skirting for laminate and parquet floors

## Product information

- Foil covered MDF skirting board
- Particularly suitable for low wall closures of parquet and laminate floors
- Cutting and miter cuts with a fine cut, toothed saw possible
- Simple and perfect assembly due to special assembly clips
- With cable duct for telephone or computer cable


## Installation recommendations



Metal clip



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

## Accessories

1 pkg. = 5 pcs.



Internal corner 90°  
SB = 5 x 1 pcs.



External corner 90°  
SB = 5 x 1 pcs.



Endcaps left & right  
SB = 5 x 1 Paar

## Colors



white



white ash



maple



white oak



bleached oak



stainless steel



oak beige



light beech



walnut tree classic



walnut tree



light beech

i

Other decors available  
on request (Minimum order  
quantity: 1000 m)

# MDF skirting board Modern 60



## Suitable for the following types of flooring

- Wooden skirting for laminate floors

## Product information

- Foil covered MDF skirting board
- Simple and perfect
- Assembly through special assembly clips
- Cutting, cutting and miter cuts possible with a fine-toothed saw
- Long shelf life due to high quality of the films in all common colors and decors


## Installation recommendations



Metal clip



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

## Accessories

1 pkg. = 5 pcs.



Internal corner 90°  
SB = 5 x 1 pcs.



External corner 90°  
SB = 5 x 1 pcs.



Endcaps left & right  
SB = 5 x 1 Paar

## Colors



uni white



oak



maple



bleached oak



antic



walnut tree



light beech

i

Other decors available  
on request (Minimum order  
quantity: 1000 m)

# MDF skirting board Cubica 50



## Suitable for the following types of flooring

- Wooden skirting for laminate floors

## Product information

- Foil coated laminate skirting board
- Simple assembly through special assembly clips
- Cutting, cutting and miter cuts possible with a fine-toothed saw
- Long durability due to high quality of the foils in all common colors and decors


## Installation recommendations



Metal clip



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

## Colors



uni white



oak



maple



bleached  
oak



antic



light beech



light beech



walnut tree



schlamm  
dunkel



stainless  
steel

# MDF skirting board X-Kreativ



## Suitable for the following types of flooring

- Wooden skirting for laminate floors

### Product information

- MDF skirting board
- Simple and perfect
- Assembly through special assembly clips
- Modern, colorful décors for a distinctive look
- Cutting and miter cuts possible with a fine-toothed saw


### Installation recommendations



Metal clip



Miter saw



### Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

### Colors



grass



zebra



animals



floral



fantasy



coffee



stones



corks



blanco

## MDF quarter round 12



### Suitable for the following types of flooring

- Wooden skirting for universal use

### Product information

- Foil coated MDF strip
- Cutting and miter cuts possible with a fine toothed saw
- Assembly optionally by screwing, nailing or gluing
- Flexible adaptation to slight curvature of the wall
- Many possible uses through popular decors and colors
- White skirting can be subsequently dyed with varnish


### Installation recommendations



Döllken  
Nails



Miter saw



### Accessories, colors, packaging

- 1 pkg. = 12 x 2,50 m

### Colors



uni white



white ash



gray ash



maple



light beech



light beech



oak



black



walnut tree

# MDF concave skirting 22



## Suitable for the following types of flooring

- Wooden skirting for laminate floors

## Product information

- Foil coated laminate skirting board
- Simple assembly through special assembly clips
- Cutting, cutting and miter cuts possible with a fine-toothed saw
- Long durability due to high quality of the foils in all common colors and decors


## Installation recommendations



Döllken  
Nails



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 30 x 2,50 m

## Colors



white



white ash



light beech



light beech



oak

# MDF corner protection 22



## Suitable:

- to protect edges

## Product information

- Foil coated MDF strip
- Suitable as external corner
- With textured outside
- Can be cut with a fine toothed saw


## Installation recommendations



Döllken  
Nails



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 30 x 2,50 m

## Colors



uni white



white ash



maple



light beech



light beech



oak

# MDF flat skirting board 60



## Suitable for the following types of flooring

- Wooden skirting for laminate floors

## Product information

- Foil coated MDF skirting
- Miter cuts possible with a fine-toothed saw
- Long durability due to the high quality of the foils in all common colors and decors
- Laying by nailing and gluing


## Installation recommendations



Döllken  
Nails



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

## Colors



uni white



white ash



gray ash



maple



light beech



light beech



oak



black



walnut tree



oak  
gekalkt



antic



mahogany

# MDF corner protection 22 Flex

## Suitable:

- to protect edges


## Product information

- As indoor and external corner usable
- Bendable

## Installation recommendations



Döllken  
Nails



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

## Colors



uni white



white ash



light beech



oak

# MDF flat universal skirting board 25



## Suitable for the following types of flooring

- Wooden skirting for universal use

## Product information

- Foil coated MDF skirting
- Miter cuts possible with a fine-toothed saw
- Assembly optionally by screwing, nailing or gluing
- Flexible adaptation to slight curvature of the wall
- Many possible uses through popular decors and colors
- White bar can be subsequently colored with lacquer


## Installation recommendations



Döllken  
Nails



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 30 x 2,50 m

## Colors



white



white ash



light beech



light beech




oak



maple

# Veneer skirting Classic 40



## Suitable for the following types of flooring

- Wooden skirting for low wall ends of noble parquet floors

## Product information

- Veneered solid wood trim
- Cutting possible with a fine toothed saw
- Simple and perfect assembly thanks to special assembly clips
- With cable duct for telephone or computer cable


## Installation recommendations



Metal clip



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

## Colors



white



maple



light beech



oak



walnut tree



bleached  
oak



antic



hevea

Our Wooden skirtings -  
natural & environmentally friendly



# Veneer skirting Classic 60



## Suitable for the following types of flooring

- Wooden skirting for laminate and wooden floors

## Product information

- Veneered solid wood trim
- Fixing by screwing, nailing and gluing
- Cutting possible with a fine toothed saw
- Simple and perfect assembly thanks to special assembly clips
- With cable duct for telephone or computer cable


## Installation recommendations



Metal clip



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

## Colors



white



maple



light beech



oak



walnut tree



bleached  
oak



antic



hevea

# Veneer skirting Modern 40



## Suitable for the following types of flooring

- Wooden skirting for low wall ends of noble parquet floors


## Installation recommendations



Metal clip



Miter saw




### Product information

- Veneered solid wood trim
- Cutting and miter cuts with a fine cut toothed saw possible
- Simple and perfect
- Assembly through special assembly clips
- With cable canal for telephone or computer cable


### Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

### Colors



## Veneer skirting Modern 60



### Suitable for the following types of flooring

- Wooden skirting for laminate and wooden floors

### Product information

- Veneered solid wood trim
- Cutting and miter cuts possible with a fine-toothed saw
- Simple and perfect
- Assembly through special assembly clips
- With cable canal for telephone or computer cable


### Installation recommendations



Metal clip




Miter saw



### Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

### Colors



Other decors available  
on request (Minimum order  
quantity: 1000 m)

i

# Veneer skirting Cubica 60



## Suitable for the following types of flooring

- Wooden skirting for laminate and wooden floors

## Product information

- Veneered solid wood trim
- Cutting possible with a fine toothed saw
- Simple and perfect assembly thanks to special assembly clips
- With cable canal for telephone or computer cable


## Installation recommendations



Metal clip



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m

## Colors



maple



light beech



oak



bleached oak

Other decors available on request!



# Veneer quarter round 14



## Suitable for the following types of flooring

- Wooden skirting for universal use

## Product information

- Veneered solid wood trim
- Miter cuts with a fine-toothed saw
- Assembly optionally by screwing, nailing or gluing
- Many possible uses through popular decors and colors


## Installation recommendations



Döllken Nails



Miter saw



## Accessories, colors, packaging

- 1 pkg. = 12 x 2,50 m

## Colors



white



oak

# White & Black Style



## Suitable for the following types of flooring

- Wooden skirting for laminate and wooden floors

## Product information

- MDF profiles, foiled, paintable
- Cutting and miter cuts possible with a fine-toothed saw
- Simple and perfect assembly thanks to special assembly clips

## Installation recommendations




Metal clip



Miter saw



Döllken  
Joint Filler



## Accessories, colors, packaging

- 1 pkg. = 5 x 2,50 m

## Colors



white-matt

# White & Black Cubica



## Suitable for the following types of flooring

- Wooden skirting for laminate and wooden floors

## Product information

- MDF profiles, foiled, paintable
- Cutting and miter cuts possible with a fine-toothed saw
- Simple and perfect assembly due to special assembly clips

## Installation recommendations




Metal clip



Miter saw



Döllken  
Joint Filler



## Accessories, colors, packaging

- 1 pkg. = 5 x 2,50 m

## Colors



white-matt



white-gloss



System skirting boards

# Attractive shapes meet practical details

The Skirting Board System is characterized by the following features and advantages:

- extraordinary appearance
- functional characteristics, such as practical cable ducts, removable and exchangeable decorative profiles
- invisible fastening systems
- NEW, haptic surfaces for more decorative brilliance (e.g., SL 48 and MD 63)

## Overview the Skirting Board System

	Page
System MD 63 .....	48
Decor profile MD 63 .....	48
Base profile GP 20 .....	48
System SL 48 .....	49
Decor profile DP 48 .....	49
Base profile GP 20 .....	49
Quick MIG .....	50
SLK 50 .....	52
SLK 60 "Q" .....	53

The cover strips EL 3,5, EL 8, HK 15/15, 20/20, 25/25 and HK 100 can now be found in the range floor and special profiles on pages 104 - 105 and 108.

# System MD 63



## Suitable for the following types of flooring

- System skirting especially for laminate floors, hard floors and elastic coverings

## Product information

- 63 mm high profile - especially suitable for renovations
- Consisting of Decor profile MD 63 and Base profile GP 20 made of chlorine-free Polyblend based on PS or PP, with large cable canal
- Clean floor and wall finish thanks to flexible soft lips at the top and bottom


## Installation recommendations



Dölkken hot melt



Adhesive Tape  
UZIN



Basic profile  
must be ordered  
separately

## Accessories, colors, packaging

- 1 pkg. = 20 x 2,50 m (single pieces for an additional fee)

## Accessories

1 pkg. = 10 pcs. (on request also available as self-service packaging)



Internal  
corner 90°  
SB = 5 x 4 pcs.



External  
corner 90°  
SB = 5 x 2 pcs.




Endcaps  
left & right  
SB = 5 x 1 pair



Connector mit  
cable outlet  
SB = 5 x 4 pcs.

## Base profile GP 20

- 1 pkg. = 20 x 2,50 m



## Colors (Decor profile)



0117  
white



2153  
white oak



2276  
maple



2281  
bleached oak



2278  
light acacia



2280  
light beech  
nature



2279  
dark beech



2282  
light oak



2288  
elm tree



2289  
walnut tree brown




2190  
solid oak



2277  
dark acacia



2193  
oak antic



2194  
old ash



1436  
alu metallic



1128  
light gray



2946  
clooney



2947  
ligna



2941  
racine



2953  
rachel



2936  
tibidabo

(Special colors available from 500 m)

# System SL 48



## Suitable for the following types of flooring

- System skirting especially for laminate floors, hard floors and elastic coverings

## Product information

- Consisting of Decor profile DP 48 and Base profile GP 20 made of chlorine-free Polyblend based on PS or PP, with large cable canal
- Clean floor and wall finish thanks to flexible soft lips at the top and bottom


## Installation recommendations



Döllken hot melt



Adhesive Tape  
UZIN



Basic profile  
must be ordered  
separately

## Accessories, colors, packaging

- 1 pkg. = 20 x 2,50 m (single pieces for an additional fee)

## Accessories

1 pkg. = 10 pcs. (on request also available as self-service packaging)



Internal  
corner 90°  
SB = 5 x 4 pcs.



External  
corner 90°  
SB = 5 x 2 pcs.




Endcaps  
left & right  
SB = 5 x 1 pair



Connector mit  
cable outlet  
SB = 5 x 4 pcs.

**Base profile GP 20**  
1 pkg. = 20 x 2,50 m



## Colors (Decor profile)



0117  
white



2153  
white oak



2276  
maple



2278  
light acacia



1147  
light beech-  
bright



2280  
light beech  
nature



2279  
dark beech



2282  
light oak



2288  
elm tree



2193  
oak antic



2194  
old ash



2190  
solid oak



2277  
dark acacia



2289  
walnut tree  
brown



2281  
bleached  
oak



1436  
alu-metallic



1128  
light gray



2946  
clooney



2947  
ligna



2941  
racine



2953  
rachel



2936  
tibidabo

[Special colors available from 500 m]

# Quick MIG



## Suitable for the following types of flooring

- Skirting Board System for all types of flooring, especially for laminate floors


## Product information

- Assembly optionally by screwing, nailing or gluing
- Renovation works without de assembly of the skirting board
- Integrated cable canal
- Clean floor and wall finish thanks to flexible soft lips at the top and bottom
- Polyblend based on PVC (all ingredients are REACH compliant)

## Installation recommendations



Döllen hot melt



## Accessories, colors, packaging

- 1 pkg. = 10 x 2,50 m (single pieces for an additional fee)

## Accessories



Internal corner  
SB = 5 x 1 pcs.



External corner  
SB = 5 x 1 pcs.



Endcaps  
left & right  
SB = 5 x 2 pcs.



Connector  
SB = 5 x 2 pcs.

## Colors



1137  
white matt



2080  
oak vosges



2118  
old oak



2123  
oak roma



2124  
weinoak



2136  
oak masala



2137  
oak husky



2179  
oak sutter



2180  
rauch oak



2181  
oak belini



2182  
celtic oak



2183  
country  
white oak



2184  
walnut tree  
alt natur



2185  
dark acacia

# Do you know?

On YouTube you'll find our processing videos with helpful tips and tricks from our professionals!



Take a look -  
in our app, on YouTube or on our  
Website [www.doellken-profiles.com](http://www.doellken-profiles.com)!

Even more news and background information  
complacent to our company?

Follow us on our social media channels:



# SLK 50



## Suitable for the following types of flooring

- System skirting especially for laminate floors, hard floors and elastic coverings


## Product information

- Large selection of modern decors
- Simple assembly by screwing or gluing
- Cable duct for invisible installation of media cables
- Soft lips for a clean bottom and wall finish
- Decor on accessories

## Installation recommendations



Döllken hot melt



## Accessories, colors, packaging

- 1 pkg. = 20 x 2,50 m

## Accessories



Internal  
corner 90°  
SB = 5 x 2 pcs.



External  
corner 90°  
SB = 5 x 1 pcs.



Endcaps  
left & right  
SB = 5 x 2 pcs.

## Colors



1137  
white



2080  
oak vosges




2140  
oak



2126  
mountain  
apple tree



1436  
alumetalic



2135  
tamari




2137  
essencial



2141  
progress



2143  
flavour



2145  
valentino



2149  
wenge



2150  
oak  
sardinia




2151  
oak  
corsica



2099  
oak  
rustic



2100  
acacia-  
queensland



2119  
nut valencia



2092  
dark acacia



2087  
yellow beech



2085  
dark beech



2169  
walnut vir.

# SLK 60 „Q“

NEW

## Suitable for the following types of flooring

- System skirting especially for laminate floors, hard floors and elastic coverings


## Product information

- Large selection of modern decors
- Simple assembly by screwing or gluing
- Cable duct for invisible installation of media cables
- Soft lips for a clean bottom and wall finish
- Decor on accessories

## Installation recommendations



Döllken hot melt



## Alle Vertriebslinien

- 1 pkg. = 20 x 2,50 m

## Accessories



Internal  
corner 90°  
SB = 5 x 2 pcs.



External  
corner 90°  
SB = 5 x 1 pcs.



Endcaps  
left & right  
SB = 5 x 2 pcs.

## Colors



0138



1137



3039



3040I



3041



3042



3043



3044



3045



3046



3047



3048

# Universal skirting boards



# On every floor a real highlight

The Skirting Board System by Döllken Profiles are unique and offer several features and benefits:

- impressively impress on the most diverse floor coverings
- are available in numerous heights and roof formations
- ensure an optimal finish for different textiles, elastic and hard floor coverings

## Overview the universal skirting boards

	Page
HSL 6 .....	56
HSL 8 .....	57
HSL 10 .....	57
USL 60 .....	58
USL 60 Clip .....	59
USL 60 Cubica .....	60
USL 50 .....	61
TL 51 .....	62
RL 10 .....	63
TLE 55 .....	64
TLE 55 sk .....	64
TL 55 .....	65
Design skirting DSL 60 .....	66
KL 60 .....	66
Renovation skirting .....	67

# HSL 6



## Suitable for the following types of flooring

- Universal skirting boards for all types of flooring

## Product information

- Polyblend based on PVC (all ingredients are REACH compliant)
- More flexibility thanks to a more robust surface and improved soft lips, which adapt to floor and wall unevenness and enable a seamless finish

## Installation recommendations



Döllken  
Mitre tool



Döllken hot melt



Adhesive Tape UZIN




Döllken  
Skirting scissors

## Accessories



Holdfast  
1 pkg. = 1 set  
(2 pcs.)



4 m

• 1 pkg. = 25 x 4 m

## Colors




2,5 m

• 1 pkg. = 20 x 2,5 m


## Colors



## Colors HSL 6



## Colors HSL 6



All NEW decors have a minimum order quantity from 1000 m!

# HSL 8 & HSL 10

new  
Height

### Suitable for the following types of flooring

- System skirting boards for all types of flooring

### Product information

- Polyblend based on PVC (all ingredients are REACH compliant)
- More flexibility thanks to a more robust surface and improved soft lips, which adapt to floor and wall unevenness and enable a seamless finish

### Installation recommendations



Döllken  
Mitre tool



Döllken hot melt




Döllken  
Sockelleistenschere

### Accessories




Holdfast  
1 pkg. = 1 set  
(2 pcs.)



### Accessories, colors, packaging

- 1 pkg. = 20 x 2,5 m

## Colors HSL 8



## Colors HSL 10

The available decors are marked with \*.

All NEW decors have a minimum order quantity from 1000 m!

# USL 60



## Suitable for the following types of flooring

- Universal skirting board, especially suitable for laminate floors

## Product information

- Polyblend based on PVC (REACH compliant)
- Moisture resistant
- Quick and easy installation by nailing or gluing (no clips required)

## Accessories, colors, packaging

• 1 pkg. = 10 x 4 m

### Accessories

1 pkg. = 10 pcs.

#### Selected colors\*

uni white  
uni light beech  
uni gray

silver metallic  
uni oak  
uni rustic  
uni antic  
uni black



Internal corner 90°




External corner 90°



Endcaps left & right

### Colors



\* The colors of the accessory parts are not the same as the skirting boards. For a consistent appearance saw the skirting

## Installation recommendations




Döllken hot melt



self-adhesive

(two factory-applied adhesive strips on the back of the profile) available on request!



## Accessories, colors, packaging

• 1 pkg. = 10 x 2,50 m

### Accessories

1 pkg. = 5 pcs.

#### Selected colors\*

uni white  
uni light beech  
uni gray

silver metallic  
uni oak  
uni rustic  
uni antic  
uni black



Internal corner 90°




External corner 90°



Endcaps left & right

### Colors

All NEW decors have a minimum order quantity from 1000 m!



# USL 60 Clip

Also  
available as a  
self-adhesive  
version!

## Suitable for the following types of flooring

- Universal skirting board, especially suitable for laminate floors

## Product information

- Polyblend based on PVC (all ingredients are REACH compliant)
- moisture resistant
- Numerous decors and high quality optics
- \*two factory-applied adhesive strips on the back of the profile - available on request!

## Installation recommendations




Döllken hot melt



Metal clip



self-  
adhesive\*



## Accessories, colors, packaging

• 1 pkg. = 10 x 2,5 m

## Accessories

GP: 1 pkg. = 10 pcs.

SB: 5 pcs.



Internal  
corner 90°



External  
corner 90°



Endcaps  
left & right

Selected colors  
(GP)  
light oak  
oak  
uni silver  
white

Selected colors  
(SB)  
slategray  
beige  
brown

ocher brown  
silky gray  
pale brown  
ivory

## Colors



1137  
white



2679  
roma



2680  
assisi



2681  
genova



2688  
sizilien



2682  
korsika



2683  
mykonos



2684  
malta



2685  
golden oak  
white



2686  
gold oak  
honey




2687  
gold oak  
natural



2675  
smoky oak  
pewte



2709  
smoky oak gold



2734  
smoky oak  
gray



2654  
oak brixen



2647  
oak verde



2433  
oak kiental



2677  
oak vallees/  
gol oak brown



2676  
oak engelberg



2678  
oak champéry



2592  
oak brown-  
wald



2318  
kiefer  
margins



2655  
oak torgon



2348  
oak  
simmertal



2166  
oak bondane  
over



2643  
light beech  
ged



2073  
walnut tree



2751  
kocher



2754  
bünde



2753  
binz



2752  
borna



2750  
bebra



2755  
weser bright



2699  
bomanga



1436  
alu-metallic



0110  
black



2964  
beach natural



2552  
oak gray



2348  
oak modern



2644  
maple  
kanadisch



2169  
oak



2742  
colombia  
pine



2775  
oak  
italia

All NEW decors  
have a minimum  
order quantity from  
1000 m!

# USL 60 Cubica

NEW

## Suitable for the following types of flooring

- Design flooring, vinyl, LVT
- laminate
- PVC, linoleum


## Product information

- Polyblend based on PVC (all ingredients are REACH compliant)
- Moisture resistant
- Numerous decorative foils available
- \*two factory-applied adhesive strips on the back of the profile - available on request!

## Installation recommendations



Metal clip



## Accessories, colors, packaging

• 1 pkg. = 10 x 2,5 m

(Minimum order quantity  
from 1000 m!)

Can be combined with the decorative surfaces of Cubu Touch & Style, Cubu Stone & Style and Cubu Premium. To be found on pages 18 - 22.

i

# USL 50



## Suitable for the following types of flooring

- Universal skirting board for all types of flooring, especially for laminate flooring

## Product information

- Polyblend based on PVC (all ingredients are REACH compliant)
- Moisture resistant

## Accessories, colors, packaging


• 1 pkg. = 25 x 4 m

### Accessories

GP: 1 pkg. = 10 pcs.



### Colors




All NEW decors have a minimum order quantity from 1000 m!

## Installation recommendations



Clips FH/SB (FH = 2500 pcs., SB = 10 x 20 pcs.)



## Accessories, colors, packaging

• 1 pkg. = 40 x 2,50 m

### Accessories

SB: 1 pkg. = 5 pcs.




### Colors



All NEW decors have a minimum order quantity from 1000 m!

# TL 51




## Suitable for the following types of flooring

- Carpet border with coverage for the fixing of carpet strips

## Product information

- Polyblend based on PVC (all ingredients are REACH compliant)
- Color matching accessories (uni)
- With self-adhesive front for the carpet



## Accessories, colors, packaging

• 1 pkg. = 25 x 4 m

### Accessories

1 pkg. = 10 pcs.




Internal corner 90°

External corner 90°

Endcaps left & right

### Colors



0110  
black

0117  
white

0146  
gray

## Accessories, colors, packaging

• 1 pkg. = 20 x 2,5 m

### Accessories

1 pkg. = 5 pcs.



Internal corner 90°

External corner 90°

Endcaps left & right

### Colors



white

light beech

oak

silver gray

dark gray

[Special colors available from 1000 m]



## Suitable

- Renovation skirting for the renovation of existing skirting boards


## Product information

- made of polyblend based on PVC (all ingredients are REACH compliant)
- for the renovation of existing skirting boards, for the self-adhesive fixing of carpet strips

## Installation recommendations



Döllken hot melt



## Accessories, colors, packaging


• 1 pkg. = 20 x 2,5 m

## Colors



1137  
white

# TLE 55



## Suitable for the following types of flooring

- Carpet skirting for fixation of carpet  
- strip with soft roof


## Product information

- Made of polyblend based on PVC (all ingredients are REACH compliant)
- With elastic roof

## Installation recommendations



Döllken hot melt



## Accessories, colors, packaging

• 1 pkg. = 25 x 4 m

## Colors



# TLE 55 sk




## Suitable for the following types of flooring

- Carpet skirting board for self-adhesive fixing of carpet strips

## Product information

- Made of polyblend based on PVC (all ingredients are REACH compliant)
- Equipped for quick installation on the wall self-adjusting
- With elastic roof



#### Accessories, colors, packaging

• 1 pkg. = 25 x 4 m

#### Colors TLE 55 sk



0117  
white

#### Accessories, colors, packaging

• 1 pkg. = 20 x 2,5 m

#### Colors TLE 55 sk



1137  
white



0146  
gray

TL 55

Also available  
as a self-  
adhesive  
version!

#### Suitable for the following types of flooring

- Carpet skirting board for fixing carpet strips with hard roof

#### Product information

- Made of polyblend based on PVC (all ingredients are REACH compliant)
- With a hard roof


#### Installation recommendations



Döllen hot melt



Klebeband UZIN



#### Accessories, colors, packaging

• 1 pkg. = 25 x 4 m

#### Colors



0117  
white



0110  
black



0132  
brown



0138  
light gray

#### Accessories, colors, packaging

• 1 pkg. = 20 x 2,50 m

#### Colors



0117  
white



0138  
light gray



2172  
light beech



2175  
oak



0348  
anthracite

#### Colors (self-adhesive option)



0117  
white



2172  
light beech



2073  
walnut tree

# Design skirting DSL 60

Also available  
as a self-  
adhesive  
version!

## Suitable for the following types of flooring

- Design skirting board for the fixing of design flooring

## Product information

- Quick and easy installation by self-adhesive
- Strip on front side (with self-adhesive variant on both sides)
- For all floor coverings with a strength of up to 4.5 mm


## Installation recommendations



Döllken hot melt



Klebeband UZIN




## Accessories, colors, packaging

• 1 pkg. = 10 x 2,50 m

## Colors



## Colors - self-adhesive option



# KL 60




## Suitable for the following types of flooring

- For all types of flooring

## Product information

- Plastic, with cable canal
- For the invisible fixing with carrier strip

Also as rear-ventilated  
version available!



• 1 pkg. = 20 x 5,0 m

### Colors KL 60



1137  
white



0130  
beige




1083  
light gray



0146  
gray

### Base profile KT 45/27

- Base profile must be ordered separately



## Renovation skirting



### Suitable for the following types of flooring

- for renovations with PVC, linoleum and LVT


### Product information

- Made of polyblend based on PVC (all ingredients are REACH compliant)
- For covering old tile bases and skirting boards (for maximum coverage up to 17 mm)
- Can be shortened to different heights

### Installation recommendations



Döllen  
Joint Filler



### Accessories, colors, packaging

• 1 pkg. = 20 x 2,50 m

### Colors



1013  
white



1064  
silver gray



1087  
brown

# Flexible skirtings



For special sensitive environments, we also have a solution for you. On request, the soft skirting boards are also available as antibacterial versions available! Do you have questions? Please use our service hotline at: + 49 3643 4170 222.

# The fast way to ensure a perfect finish - flexible & uncomplicated

The soft skirtings are characterized by the following features and advantages:

- for use on flexible floor coverings
- attached in no time
- create a harmonious connection between wall and floor
- all soft skirting boards are, according to the REACH regulation, free of harmful plasticisers
- all soft strips can also be equipped on request antibacterial



## Overview the flexible skirtings

Page

WL 50 .....	70
WL 50 life .....	71
WLK 50 .....	72
WLK 50 life .....	73
WL 60 .....	74
WL 60 life .....	75
WLK 60 .....	76
WLK 60 life .....	77
WL 80 .....	78
WL 80 life .....	79
WLK 80 .....	80
WLK 80 life .....	81
WL 100 .....	82
WL 100 life .....	83
WLK 100 .....	84
WLK 100 life .....	85
WLK 20 .....	87
Flexible skirting basic .....	88
Bending angle basic .....	89

As flexible as our skirting boards are is our service.  
Other heights than PVC-free life version and in self-adhesive version are available on request.

i

# WL 50



## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- flexible polyblend based on PVC (all content conforms to REACH)



## Installation recommendations



Adhesive Tape  
UZIN




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



# WL 50 life

TCF  
totally  
chlorine-  
free

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Made of elastic, chlorine-free polyblend based on EVA-PE mixture
- Chlorine and plasticizer free



## Installation recommendations



Adhesive Tape  
UZIN




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0138  
light gray



1069  
gray



0146  
dark gray



0348  
anthracite



0110  
black



2236  
light beech



0130  
beige



2175  
light oak



0913  
light beige



0914  
dark beige



0879  
nut brown



2172  
light beech

# WLK 50

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Flexible polyblend based on PVC (all content conforms to REACH)
- self-adhesive: strong bond with **Remur-branded adhesive tape of UZIN**
  - ✓ system guarantee
  - ✓ dimensional stabilization
  - ✓ solvent-free
  - ✓ resistant of plasticizer



## Installation recommendations




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0138  
light gray



1069  
gray



0146  
dark gray



0348  
anthracite



0110  
black



2236  
light beech



0130  
beige



2175  
light oak



0913  
light beige



0914  
dark beige



0879  
nutbrown



2172  
light beech



NEW

2572  
fashion oak



NEW

2395  
moon island



NEW

2660  
chene gris

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Made of elastic, chlorine-free polyblend based on EVA-PE mixture
- Chlorine and plasticizer free
- Self-adhesive with branded tape



## Installation recommendations




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0138  
light gray




1069  
gray



0146  
dark gray



0348  
anthracite



0110  
black



2236  
light beech



0130  
beige



2175  
light oak



0913  
light beige



0914  
dark beige



0879  
nutbrown



2172  
light beech

# WL 60

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Flexible polyblend based on PVC (all content conforms to REACH)



## Installation recommendations



Adhesive Tape  
UZIN




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0138  
light gray



1069  
gray



0146  
dark gray



0348  
anthracite



0110  
black



2236  
light beech



0130  
beige



2175  
light oak



0913  
light beige



0914  
dark beige



0879  
nutbrown



2172  
light beech

# WL 60 life

TCF  
totally  
chlorine-  
free

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Made of elastic, chlorine-free polyblend based on EVA-PE mixture
- Chlorine and plasticizer free



## Installation recommendations



Adhesive Tape  
UZIN




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0138  
light gray



1069  
gray



0146  
dark gray



0348  
anthracite



0110  
black



2236  
light beech



0130  
beige



2175  
light oak



0913  
light beige



0914  
dark beige



0879  
nutbrown



2172  
light beech

# WLK 60

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Flexible polyblend based on PVC (all content conforms to REACH)
- self-adhesive: strong bond with **Remur-branded adhesive tape of UZIN**
  - ✓ system guarantee
  - ✓ dimensional stabilization
  - ✓ solvent-free
  - ✓ resistant of plasticizer



## Installation recommendations




Rubber-hammer



Easy-Scooter



Döllken Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0138  
light gray



1069  
gray



0146  
dark gray



0348  
anthracite



0110  
black



2236  
light beech



0130  
beige



2175  
light oak



0913  
light beige



0914  
dark beige



0879  
nutbrown



2172  
light beech

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Made of elastic, chlorine-free polyblend based on EVA-PE mixture
- Chlorine and plasticizer free
- Self-adhesive with branded tape



## Installation recommendations




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0138  
light gray



1069  
gray



0146  
dark gray



0348  
anthracite



0110  
black



2236  
light beech



0130  
beige



2175  
light oak



0913  
light beige



0914  
dark beige



0879  
nutbrown



2172  
light beech

# WL 80

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Flexible polyblend based on PVC (all content conforms to REACH)



## Installation recommendations



Adhesive Tape  
UZIN




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0146  
dark gray



0110  
black



0879  
nutbrown



0130  
beige

# WL 80 life

TCF  
totally  
chlorine-  
free

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Made of elastic, chlorine-free polyblend based on EVA-PE mixture
- Chlorine and plasticizer free



## Installation recommendations



Adhesive Tape  
UZIN




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0146  
dark gray



0110  
black



0879  
nutbrown



0130  
beige

# WLK 80

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Flexible polyblend based on PVC (all content conforms to REACH)
- self-adhesive: strong bond with **Remur-branded adhesive tape of UZIN**
  - ✓ system guarantee
  - ✓ dimensional stabilization
  - ✓ solvent-free
  - ✓ resistant of plasticizer



## Installation recommendations




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0146  
dark gray



0110  
black



0879  
nutbrown



0130  
beige

# WLK 80 life

TCF  
totally  
chlorine-  
free

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Made of elastic, chlorine-free polyblend based on EVA-PE mixture
- Chlorine and plasticizer free
- Self-adhesive with branded tape



## Installation recommendations




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0146  
dark gray



0110  
black



0879  
nutbrown



0130  
beige

# WL 100

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Flexible polyblend based on PVC (all content conforms to REACH)



## Installation recommendations



Adhesive Tape  
UZIN




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0146  
dark gray



0110  
black



0879  
nutbrown



0130  
beige

# WL 100 life

TCF  
totally  
chlorine-  
free

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Made of elastic, chlorine-free polyblend based on EVA-PE mixture
- Chlorine and plasticizer free



## Installation recommendations



Adhesive Tape  
UZIN




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0146  
dark gray



0110  
black



0879  
nutbrown



0130  
beige

# WLK 100

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Flexible polyblend based on PVC (all content conforms to REACH)
- self-adhesive: strong bond with **Remur-branded adhesive tape of UZIN**
  - ✓ system guarantee
  - ✓ dimensional stabilization
  - ✓ solvent-free
  - ✓ resistant of plasticizer



## Installation recommendations




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0146  
dark gray



0110  
black



0879  
nutbrown



0130  
beige

# WLK 100 life

TCF  
totally  
chlorine-  
free

## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors

## Product information

- Made of elastic, chlorine-free polyblend based on EVA-PE mixture
- Chlorine and plasticizer free



## Installation recommendations




Rubber-  
hammer



Easy-  
Scooter



Döllken  
Skirting scissors



## Accessories, colors, packaging

- 1 pkg. = 1 x 50 m (rolled)

## Colors



1137  
white



0146  
dark gray



0110  
black



0879  
nutbrown



0130  
beige

Because we keep  
the focus on the  
most important  
point, all of our  
skirtings are  
phthalate-free.



For special sensitive environments, we also have a solution for you.  
On request, the flexible skirtings are also available as an antibacterial version  
available! Do you have questions? Please use our service hotline at:  
+49 3643 4170 222.

# WLK 20



## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors


## Product information

- Made of elastic, chlorine-free polyblend based on EVA-PE mixture
- Chlorine and plasticizer free
- Can be used as inside and outside corner
- Bendable

## Installation recommendations




Rubber-hammer



## Accessories, colors, packaging

- 1 pkg. = 4 x 25 m (rolled)

## Colors



1137  
white

0138  
light gray

0146  
dark gray

0110  
black

0130  
beige

0132  
brown

# Flex skirting basic



## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors


## Product information

- Flexible polyblend based on PVC (all content conforms to REACH)
- Self-adhesive with branded tape

## Installation recommendations



Rubber-  
hammer



## Accessories, colors, packaging

- 1 pkg. = 4 x 25 m\*
- 1 pkg. = 5 x 10 m

## Colors



# Bending angle basic



## Suitable for the following types of flooring

- Skirting boards for PVC, CV and linoleum floors


## Product information

- Soft plastic strip
- Self-adhesive
- Can be used as inside and outside corner
- Bendable

## Installation recommendations



Rubber-hammer



## Accessories, colors, packaging

- 1 pkg. = 4 x 25 m\*\*
- 1 pkg. = 5 x 5 m

## Colors



white\*\*

gray

black

brown

gray-beige

light beech\*\*

light gray

ash-gray

oak

oak rustic



# Floor and special profiles

# Perfect protection for heavily used areas

The special profiles are characterized by the following features and advantages:

- elegant connection of transitions
- secure fixation of different coverings on stairs
- flexible and absolutely reliable
- according to the REACH regulation, free from harmful plasticisers

## Overview floor and special profiles

Page

TKE 37/28/2,3 .....	92
TKE 40/40/3.....	92
TKE 25/30/4,5 .....	93
TKE 40/28/5.....	94
TKE 40/40/5.....	94
TK 35/40/2 .....	96
TK 35/40/2R.....	96
TK 35/40/3R.....	97
TK 40/25/2R.....	97
TK 69/40/R.....	98
TKNG A 40 .....	98
TKNG A 45 .....	98
TKNG 65.....	99
TKNG 3,5 45 .....	100
TKNG 2,5 45 .....	100
Stair string profile TWP45/3 .....	102
Corner trim 20 .....	102
WL 10/10, 20/20, 30/30 .....	103
EL 3,5.....	103
EL 8.....	104
HK 15/15, 20/20, 25/25, 30/30 .....	104
Approach profile .....	105
TEL 20 life .....	106
TEL 20 life round .....	106
TIW 20 life .....	107
TEL 40 life .....	107
HK 100 .....	108
Hiting pipe cover skirting.....	109
VS 12.....	110
VS 15.....	110
Panel frame SK .....	111
Double panel frame SK .....	112
Plastic transition profile.....	113
Transition profile SK .....	113

# TKE 37/28/2,3




## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# TKE 40/40/3




## Suitable

- Stair edge for coverings PVC, CV, linoleum and felt

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors TKE 40/40/3



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# TKE 25/30/4,5




## Suitable

- Stair edge for textile coverings

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# TKE 40/28/5




## Suitable

- Stair edge for textile coverings

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# TKE 40/40/5




## Suitable

- Stair edge for textile coverings

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# TK 35/40/2




## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# Our stair nosings and soft tissues are phthalate free.



That's why they do not present any health risk and are suitable for carefree use in sensitive areas or living spaces.

# TK 35/40/2R




## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- With structured tread



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors



0138  
light gray




0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# TK 35/40/3R




## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- With structured tread



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# TK 40/25/2R




## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- With structured tread



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# TK 69/40/R




## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- With structured tread



## Accessories, colors, packaging

- 1 pkg. = 10 x 4,5 m

## Colors



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

## Accessories, colors, packaging

- 1 pkg. = 12 x 2,25 m (single pieces for an additional fee)

## Colors



0138  
light gray



0130  
beige



0146  
dark gray



0132  
brown



0110  
black

# TKNG A 40




NEU

## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- With structured tread, slim design



## Accessories, colors, packaging

- 1 pkg. = 5 x 2,4 m

Available in spring 2019!

i

## Colors



0138  
light gray



0146  
dark gray



1160  
aluminium



0110  
black



1161  
bronze



1164  
sand

# TKNG A 45




NEU

## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- With structured tread, slim design



## Accessories, colors, packaging

- 1 pkg. = 5 x 2,4 m

Available in spring 2019!

i

## Colors



0138  
light gray



0146  
dark gray



1160  
aluminium



0110  
black



1161  
bronze



1164  
sand

# TKNG A 65




NEU

## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- With structured tread, slim design



## Accessories, colors, packaging

- 1 pkg. = 5 x 2,4 m

Available in spring 2019!



## Colors



0138  
light gray



0146  
dark gray



1160  
aluminium



0110  
black



1161  
bronze



1164  
sand

# TKNG 3,5 45

NEU




## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- With structured tread, slim design



## Accessories, colors, packaging

- 1 pkg. = 5 x 2,4 m

## Colors



0138  
light gray



0146  
dark gray



1160  
aluminium



0110  
black



1161  
bronze



1164  
sand

Available in spring 2019!

i

# TKNG 2,5 45

NEU




## Suitable

- Stair edge for covering PVC, CV and linoleum

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- With structured tread, slim design



## Accessories, colors, packaging

- 1 pkg. = 5 x 2,4 m

## Colors



0138  
light gray



0146  
dark gray



1160  
aluminium



0110  
black



1161  
bronze



1164  
sand

Available in spring 2019!

i



# Brings light into darkness - The new fluorescent stair edges<sup>\*</sup>

- Protect against falls in the darkness
- Slip resistant
- resistant

<sup>\*</sup>Available for the new stair edge system „Next Generation“ (TKNG)

Available  
on request  
in spring  
2019

# Stair edge profile TWP45/3




## Suitable

- Side finishes for stairs

## Product information

- made of polyblend based on ABS, for perfect coverage of the stair edges



## Accessories, colors, packaging

- 1 pkg. = 20 x 2,5 m

## Colors



1137  
white

# Corner trim 20




## Suitable

- Corner protection

## Product information

- Made of plastic foam



## Accessories, colors, packaging

- 1 pkg. = 20 x 2,5 m

## Colors



1137  
white



2198  
maple



2186  
gray ash



2079  
light beech



2171  
oak

# WL 10/10, 20/20, 30/30




## Suitable

- Angle strip for the wall

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- Printed on both sides



## Accessories, colors, packaging

- WL 10/10: 1 pkg. = 20 x 2,5 m
- WL 20/20: 1 pkg. = 10 x 2,5 m
- WL 30/30: 1 pkg. = 10 x 2,5 m

## Colors WL 10/10



1137  
white

## Colors WL 20/20, WL 30/30



1137  
white



2186  
gray ash



2198  
maple



2172  
light beech



2175  
oak



2227  
oak rustic



0110  
black

# EL 3,5




## Suitable

- Cover strip for elastic floor coverings

## Product information


- Made of a PVC polymer (all materials comply with REACH regulations)
- For wall-mounted floor coverings




## Accessories, colors, packaging

- 1 pkg. = 25 x 4 m

## Colors



# EL 8




## Suitable

- Cover strip for elastic floor coverings

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- For wall-mounted floor coverings



## Accessories, colors, packaging

- 1 pkg. = 25 x 4 m

## Colors



# HK 15/15, 20/20, 25/25, 30/30




## Suitable

- Cover strip for elastic floor coverings

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- For wall-mounted floor coverings



## Accessories, colors, packaging

- HK 15/15: 1 pkg. = 20 x 5,0 m
- HK 20/20: 1 pkg. = 20 x 5,0 m
- HK 25/25: 1 pkg. = 20 x 5,0 m

## Colors



uni

## Accessories, colors, packaging


- HK 20/20: 1 pkg. = 20 x 2,5 m
- HK 25/25: 1 pkg. = 20 x 2,5 m
- HK 30/30: 1 pkg. = 20 x 2,5 m

## Colors



uni

# Approach profile




## Suitable

- For all floor coverings up to 3 mm

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- Suited for creating smooth transitions in case of different levels



## Accessories, colors, packaging

- 1 pkg. = 1 x 25 m

## Colors



1063  
silver



1083  
stainless  
steel



1010  
cappuccino



1091  
chocolate brown



0110  
black

# TEL 20 life

**NEW!**  
rounded  
execution  
available!


## Suitable

- Corner trim for clean wallpapers (external corner)

## Product information

- Made of ABS-based polymer
- For easy and smooth finish of the external
- Angular profile during wallpapering

TCF  
totally  
chlorine-  
free



## Accessories, colors, packaging

- 1 pkg. = 20 x 2,60 m

## Colors



1137  
white



1015  
bronze



1016  
black-metallic



1017  
silver-metallic



1018  
gold-metallic

# TEL 20 life round


**NEU!**

- rounded corner trim for clean wallpapers (external corner),  
for sensitive areas (for example nursery school)

## Product information

- Made of ABS-based polymer
- For easy and smooth finish of the external
- Angular profile during wallpapering

TCF  
totally  
chlorine-  
free



## Accessories, colors, packaging

- 1 pkg. = 20 x 2,60 m

## Colors



1137  
white

# TIW 20 life


TCF  
totally  
chlorine-  
free

## Suitable

- Corner trim for clean wallpapers (internal corner)

## Product information

- Made of ABS-based polymer
- For easy and smooth finish of the internal
- Angular profile during wallpapering



## Accessories, colors, packaging

- 1 pkg. = 20 x 2,60 m

## Colors



1137  
white

# TEL 40 life


NEU!

- Corner trim for clean wallpapers (internal corner)

## Product information

- Made of ABS-based polymer
- For easy and smooth finish of the internal
- Angular profile during wallpapering
- for thick wallpapers

TCF  
totally  
chlorine-  
free



## Accessories, colors, packaging

- 1 pkg. = 20 x 2,60 m

## Colors



1137  
white

# HK 100




## Suitable for the following types of flooring

- Finishing trim for curling floorings

## Product information

- Made of a PVC polymer (all materials comply with REACH regulations)
- For wall-mounted floor coverings



## Accessories, colors, packaging

- 1 pkg. = 40 x 2,50 m


## Colors



1137  
white



0138  
light gray



1436  
al metallic



0110  
black

# Hiting pipe cover skirting



## Suitable

- Universally applicable


## Product information

- hard plastic foil sheathed
- made of double walled plastic
- soft plastic lip facilitates the installation on uneven surfaces
- pipe clips serve to stabilize the heating pipe and act as attachment for the skirting
- decor matching accessories for a perfect installation
- rough cut using a mitre saw is sufficient (accessories conceal the cut)

## Installation recommendations



Miter saw




## Accessories, colors, packaging

- 1 pkg. = 10 x 2 m

## Accessories

SB: 1 pkg. = 5 x 1 pcs.



Internal corner 90°

External corner 90°

Endcaps left & right

StoßConnector


## Fixing

- Pipe clip

SB: 1 pkg. = 10 x 5 pcs.



## Colors



white

maple

light beech-bright

oak

# VS 12



## Suitable

- PVC strip for laminate


## Product information

- Made of plastic foam (PVC)
- Miter cuts possible with a fine-toothed saw
- Assembly optionally by screwing, nailing or gluing
- Flexible adaptation to slight curvature of the wall
- Many possible uses through popular decors and colors

## Installation recommendations



Döllken  
Nails



## Accessories, colors, packaging

- 1 pkg. = 20 x 2,5 m

## Colors



# VS 15




## Suitable

- PVC strip for laminate

## Installation recommendations



Döllken  
Nails



#### Product information

- Made of plastic foam (PVC)
- Miter cuts possible with a fine-toothed saw
- Assembly optionally by screwing, nailing or gluing
- Flexible adaptation to slight curvature of the wall
- Many possible uses through popular decors and colors

#### Accessories, colors, packaging

- 1 pkg. = 20 x 2,5 m

#### Colors VS 15



## Panel frame SK

#### Suitable

- PVC and carpeting with a material thickness of 3-5 mm


#### Product information

- Flexible adaptation by elastic soft lip
- Cover of unclean cut edges
- Easy to cut with a utility knife or a pair of scissors
- Easy to lay without tools by selfpcks. lebebeschichtung on the bottom
- Elastic plastic
- Self adhering
- SB-packed with assembly instructions

#### Installation recommendations




Döllken  
scissors



#### Accessories, colors, packaging

- 1 pkg. = 10 x 1 pcs.

#### Colors



# Double panel frame SK

self-  
adhesive

## Suitable for the following types of flooring

- PVC and carpeting


## Product information

- Flexible adaptation by elastic soft lip
- Cover of unclean cut edges
- Easy to cut with a utility knife or a pair of scissors
- Easy to lay without tools by self-adhesive application on the bottom
- Elastic plastic
- SB-packed with assembly instructions

## Installation recommendations



Döllken  
scissors



## Accessories, colors, packaging

- 1 pkg. = 10 x 1 pcs.

## Colors



gray beige



brown beige



brown



gray



black

# Plastic transition profile

## Product information


- Robust transition bar made of extra hard plastic
- Cut with a fine toothed saw
- Easy to unscrew with the included screws and dowels
- Unclean edges of the floor coverings are covered and the transition is permanently protected
- Flexibility in design due to the wide variety of colors
- SB packed with assembly instructions, including dowels and color-matched screws



## Accessories, colors, packaging

- SB: 1 pkg. = 10 pcs.

### Colors



brown beige

gray beige

gray

brass

brown


black

# Transition profile SK

self-adhesive

## Product information


- Flexible adaptation by elastic soft lip on PVC and carpet floors with a material strength of 3-5 mm
- Cover of unclean cut edges
- Easy to cut with a utility knife or suitable pair of scissors
- Easy to lay by self adhesive coating on the bottom
- Elastic plastic
- SB-packed with assembly instructions



## Accessories, colors, packaging

- 1 pkg. = 10 pcs.

### Colors



gray

brown beige

brown



# Aluminium profiles

# Perfectly complement the arrangement of any interior.

## Döllken aluminum profiles are the perfect solution:

- resistant to damage and wiping
- the highest quality raw material
- various assembly solutions - self-adhesive, pins, screws
- masking dilatation, leveling inequalities

## Overview of the aluminium profiles

Page

DP 03 S, DP 64 S - Transition profiles (self-adhesive) .....	116
DP 08 S - Corrugated transition profile (self-adhesive) .....	117
DP 01 S - Finishing trim (self-adhesive) .....	117
DP 11 S - Finishing trim for levelling surfaces (self-adhesive) .....	118
DP 31 S - Angle (self-adhesive) .....	118
DP 36 S - Angle for finishing stair step edge (self-adhesive) .....	119
DP 03 - Standard transition profile .....	119
DP 64, DP 65, DP 66 - Standard transition profile .....	120
DP 08 - Corrugated transition profile .....	121
DP 70, DP 71 - Finishing trim for levelling surfaces .....	121
DP 01 - Finishing trim .....	122
DP 31 - Angle bar .....	122
DP 36 - Angle for finishing stair step edges .....	123

# DP 03 S

# DP 64 S

self-  
adhesive


## Suitable:

- Transition profile for all floor types

## Product information

- anodized aluminium
- self-adhesive - gel glue
- durability of colors thanks to the highest quality of aluminum


### DP 03 S



#### Available lengths:

- 93 cm
- 180 cm
- 270 cm (special order\*)

#### Anodized decors



silver

brushed inox

golden

champagne

bronze

#### Premium decors (3D structure)




light beech

walnut

idylla oak

Any decor of the veneer from the Surteco palette possible  
(on request)


### DP 64 S



#### Available lengths:

- 93 cm
- 180 cm
- 270 cm (special order\*)

#### Anodized decors



silver

brushed inox

golden

champagne

bronze

#### Premium decors (3D structure)



light beech

walnut

idylla oak

\*special order - without the possibility of return

# DP 08 S

self-adhesive


## Suitable:

- Corrugated transition profile

## Product information

- hardened material, almost indestructible, resistant to walking and abrasions, stable color
- cutting profiles using a metal fine-toothed saw
- self-adhesive

Any decor of the veneer from the Surteco palette possible (on request)



## Available lengths:

- 93 cm
- 180 cm
- 270 cm (special order\*)

## Anodized decors



silver




brushed inox



golden



champagne



bronze

# DP 01 S

self-adhesive

## Suitable:

- Finishing trim

## Product information

- anodized aluminium profiles resistant to abrasion
- enables levelling two different surfaces up to 3 mm
- self-adhesive

## Anodized decors



silver



brushed inox




golden



champagne



bronze



## Available lengths:

- 93 cm
- 180 cm
- 270 cm (special order\*)

Any decor of the veneer from the Surteco palette possible (on request)

\*special order - without the possibility of return

## DP 11 S

self-adhesive


### Suitable:

- Finishing trim for all floor types

### Product information

- anodized aluminium profiles resistant to abrasion
- enables levelling two different surfaces between 3 mm and 8 mm
- self-adhesive

Any decor of the veneer from the Surteco palette possible (on request)



### Available lengths:

- 90 cm
- 180 cm
- 270 cm (special order)

### Anodized decors



## DP 31 S


self-adhesive

### Suitable:

- Self-adhesive angle for laminate floor

### Product information


- anodized aluminium
- self-adhesive



### Available lengths:

- 90 cm
- 180 cm
- 270 cm (special order)

### Anodized decors



Any decor of the veneer from the Surteco palette possible (on request)

# DP 36 S




## Suitable:

- Angle for finishing stair step edges

## Product information

- robust stair angles made of anodized aluminium
- self-service packaging with installation manual
- long-term and reliable protection of the flooring and edges
- two grooves on the surface for more secure hold while using the stairs
- easy installation with screws
- fine metal saw for cutting to length

Any decor of the veneer from the Surteco palette possible  
(on request)



## Available lengths:

- 90 cm
- 180 cm
- 270 cm (special order)

## Anodized decors



silver




brushed inox



golden



champagne



bronze

# DP 03



## Suitable:

- Standard transition profile


## Product information

- anodized aluminium
- durability of colors thanks to the highest quality of aluminum
- screws in the set

## Available lengths:

- 93 cm
- 180 cm

Any decor of the veneer from the Surteco palette possible  
(on request)



## Installation



Screws

## Anodized decors



silver




brushed inox



golden



champagne




bronze

DP 64

DP 65

DP 66



**Suitable:**

- Standard transition profile

**Product information**

- reliable, low-profile protection of carpet/PVC flooring edges from lifting, protecting the joint space between surfaces of panel floors
- it is particularly well suited for entrances and corridors
- lively and stable decors due to the use of anodized aluminium of the highest quality
- the highest quality, durability and easy installation

**Installation**




Hammered  
fastener

**Available lengths:**


- 93 cm
- 180 cm
- 270 cm (special order)

DP 64




40 mm

DP 65



50 mm

DP 66



32 mm

**Anodized decors**



silver

brushed inox

golden

champagne

bronze

Any decor of the veneer from the Surteco palette possible  
(on request)

# DP 08

## Suitable:

- Corrugated transition profile


## Product information

- flat, metal transition bus
- reliable, low-profile protection of carpet/PVC flooring edges from lifting
- it is particularly well suited for entrances and corridors
- lively and stable Decors due to the use of anodized

## Available lengths:

- 93 cm
- 180 cm

Any decor of the veneer from the Surteco palette possible (on request)



## Installation



Screws

## Anodized decors



silver




brushed inox



golden



champagne



bronze

# DP 70

# DP 71

## Suitable:



- Finishing trim

## Product information

- anodized aluminium profiles resistant to abrasion
- enables levelling two different surfaces up to 3 mm
- self-adhesive

DP 70

DP 71



## Available lengths:

- 90 cm
- 180 cm
- 250 cm

## Installation



Hammered fastener

## Anodized decors



silver



brushed inox



golden



champagne

Any decor of the veneer from the Surteco palette possible (on request)

## DP 01



### Suitable:

- Finishing trim for all floor types


### Product information

- anodized aluminium profiles resistant to abrasion
- enables levelling two different surfaces up to 3 mm

### Available lengths:

- 90 cm
- 180 cm
- 270 cm [special order]

Any decor of the veneer from the Surteco palette possible  
[on request]




### Installation



Screws

### Anodized decors



silver

brushed inox

golden

champagne

bronze

## DP 31



### Suitable:

- Angle bar for finishing laminate floor


### Product information

- anodized aluminium

### Available lengths:

- 90 cm
- 180 cm
- 270 cm [special order]

Any decor of the veneer from the Surteco palette possible  
[on request]




### Installation



Screws

### Anodized decors



silver

brushed inox

golden

champagne

bronze

# DP 36

## Suitable:


- Angle for finishing stair step edges

## Product information

- robust stair angles made of anodized aluminium
- self-service packaging with installation manual
- long-term and reliable protection of the flooring and edges
- two grooves on the surface for more secure hold while using the stairs
- two grooves on the surface for more secure hold when using the stairs
- easy installation with screws
- fine metal saw for cutting to length
- 90 cm version includes screws and dowels

## Available lengths:

- 90 cm
- 180 cm
- 250 cm




## Installation



Screws

## Anodized decors



Any decor of the veneer from the Surteco palette possible (on request)



# Kitchen profiles

# The clean connection between worktop and wall

The kitchen profiles from Döllken Profiles are unique and offer various features and advantages:

- matching decors to countertops countertops
- useful and coordinated accessories
- different geometries and designs

Overview of kitchen profiles	Page
Wall joint trim Design .....	126
Wall joint trim Classic .....	127
Base U-Profil .....	128
Ventilation grille .....	130
Connection profile .....	130
Connector for worktop .....	131
Connection profile universal square .....	131
Corner connection profile .....	132
Vapor barrier .....	132
Hi4 .....	133

# Wall joint trim Design


Decor  
edge band  
(640 x 44 mm)  
available  
on demand!

## Suitable

- Especially for use in the kitchen

## Product information

- Transparent, elastic sealing lip for covering gaps and joints
- Self-adhesive strips on both sides of the base profiles for a simple assembly



## Accessories, colors, packaging

- 1 pkg. = 6 x 3,0 m

(also available in 0,6 m)

## Accessories

SB internal and external corner: 1 pkg. = 5 x 1 pcs.

SB endcaps: 1 pkg. = 5 x 2 pcs.

### Selected colors

0117 white	1020 sand	1087 brown	1090 gray
1083 silver	1085 beige	1010 dark brown	1091 chocolate brown
1084 gold	1086 brightbrown	1089 yellow beige	1022 black



## Colors

2026 walnut tree bright	1000 dark gray	2042 haselnut	2043 steinchen	2044 chopsticks light beech	2045 walnut tree antic	2046 walnut tree alt	1020 gray	2047 creative walnut tree	2048 light beech	2068 bleached oak
1047 gray	1021 beige	2053 granit	2056 oak gray	2075 marble	2058 maple	1022 black	2061 oak	2062 walnut tree	2064 silver metallic	2069 dark oak
2070 dark beech	2071 coarse textiles	2072 teak	2190 oak concise	2191 bleached oak	2194 exotic gray	2195 stone black	1046 stainless steel gebürstet	2196 stone gray	2050 bleached oak bright	2768 jura black
2767 jura gray	1129 snow-white	1225 stole	2870 mailand	2871 butcher	1216 old white	1217 ravenna	1218 mocca	2873 crete	2874 rom	2875 amalfi
2876 florence	2877 venice	2878 naples	2879 bologna	2880 turin	2881 pisa	2882 verona	2883 genua	2884 palermo	2885 bari	1219 siena
2965 triest	2966 rimini	2967 catania	2970 padua	2971 lucca	2872 salerno	2873 cagliari	2874 ferara	1190 stainless steel	1224 titan	

All NEW  
decors have a  
minimum order  
quantity from  
1000 m!

# Wall joint trim Classic




## Suitable

- Especially for use in the kitchen

## Product information

- Optimum protection against the ingress of moisture
- Color-coordinated corners and endcaps
- Available for all common countertops



## Accessories, colors, packaging

- 1 pkg. = 10 x 3,0 m

## Accessories

- available as a set
- SB: Accessories set consisting of  
2 x Internal corner (2 pcs.),  
External corner (1 pcs.)  
and Endcaps (1 pair)



Internal  
corner 90°  
2 pcs., plastic  
SB-pack



External  
corner 90°  
1 pcs., plastic  
SB-pack



Endcaps  
1 pair, plastic  
SB-pack

**Selected colors**  
white  
gray  
jura gray  
light beech  
light bar beech/  
oak  
jura black  
walnut tree

## Colors



white



granit-white



granit-bright



silver gray



sardo granit



marble



light beech



light beech



oak



cherry tree



nutblock



jura black



walnut tree



light bar  
beech




walnut

# Kitchen base U-Profil



## Product information


- plastic
- with soft lip for optimal protection against moisture and dirt
- for kitchen panel
- available in 16 mm and 19 mm



## Accessories, colors, packaging

- 1 pkg. = 20 pcs.

## Colors



transparent

# The perfect finish for your kitchen

Wall joint trim

Connection profile

Kitchen base  
U-Profil

Vapor barrier

# Ventilation grille



## Product information

- anodized aluminum
- for optimum air circulation under kitchen countertops and panels or on doors
- easily removable by plug-in assembly for cleaning

## Dimensions

- 500 x 70 mm

## Accessories, colors, packaging


- 1 pkg. = 4 x 1 pcs.

## Colors



silver

# Connection profile



## Product information

- Anodized aluminum
- SB-pack with assembly instructions

## Dimensions

- 28 mm
- 38 mm

## Accessories, colors, packaging

- 1 pkg. = 5 pcs.


- Corner connector Westag

- Corner connector Hornitex-Resopal

## Colors



alu



## Dimensions

- Strength: 28 mm
- Strength: 38 mm



## Dimensions

- Strength: 38 mm

# Connector for worktop



## Product information

- Length: 150 mm
- Length: 65 mm
- Corner and longitudinal connections
- 2 pcs.

## Available in the following sizes

- 15 cm
- 7 cm

## Accessories, colors, packaging

- 1 pkg. = 10 pcs.

# Connection profile universal angular

## Product information

- Anodized aluminum
- For round worktops (Strength: 38 mm)
- SB-pack with assembly instructions

## Accessories, colors, packaging

- SB: 1 pkg. = 10 pcs.

## Colors



alu

# Corner connection profile



## Product information

- especially for Resopal worktops

## Accessories, colors, packaging

- 1 pkg. = 10 pcs.

### Colors



alu

# Vapor barrier



## Product information

- Aluminum adhesive foil to protect the lower edge of the worktop
- range of ovens and dishwashers
- reliably prevents swelling of the worktop by dishwasher or oven steam
- self-adhesive

## Accessories, colors, packaging

- SB: 1 pkg. = 1 pcs.

### Colors



aluminium

### Dimensions

- Width: 7,5 cm
- Length: 1,0 m



## Product information

- Versatile: as a perfect wall joint trim in Kitchen and bathroom or z. B. for laminating horizontal and vertical joints between furniture
- Self-adhesive assembly
- Clean conclusion by adaptive soft rubber sealing lips
- Durable surfaces offer a long service life, are abrasion-resistant and resistant to household cleaning agents

## Accessories, colors, packaging

- 1 pkg. = 10 pcs.

## Accessories

- SB: 1 pkg. = 10 pcs., consisting of:



Internal  
corner  
4 x 90°  
2 x 135°



External  
corner  
2 pcs.



Endcaps  
left & right  
2 Paar

Selected colors  
black

## Colors



white



silver



brushed alu



black



# Floor underlays

# Floor installation starts with underlays. Responsible for levelling, reducing noise and conduction of underfloor heating.

## Döllken Profiles floor underlays have the best properties:

- Excellent sound insulation against penetration of unwanted sounds
- Perfectly compensate for any unevenness in the ground
- Suitable for use with underfloor heating
- Prevent the spread of fungi and mold

## Overview of the underlays

Page

Thermo roll 1,6 mm .....	136
Thermo roll 2 mm .....	136
Floor base 3 mm .....	137
Floor base 5 mm .....	137
Max SD Pro .....	138
LVT Antislip Max .....	138
LVT Alu Extreme .....	139
Extreme Alu Heat .....	139

# Thermo roll 1,6 mm



## Suitable:


- underlay recommended for floor heating

## Product information

- Short assembly time
- Recommended for underfloor heating
- Protection against falling objects
- Leveling point inequalities

## Technical data:

- Reflecting walking sound - RWS: 14%
- Compressive Strength - CS: 90 kPa
- Compressive Creep resistance - CC:  $\geq 2$  kPa
- Thermal resistance - R: 0,05 m<sup>2</sup>K/W
- Punctual conformability - PC:  $\geq 1$  mm
- Impact noise reduction - IS: 18 dB



# Thermo roll 2 mm



## Suitable:


- underlay recommended for floor heating

## Product information

- Short assembly time
- Recommended for underfloor heating
- Protection against falling objects
- Leveling point inequalities

## Technical data:

- Reflecting walking sound - RWS: 9%
- Compressive Strength - CS: 15,5 kPa
- Compressive Creep resistance - CC:  $\geq 2$  kPa
- Thermal resistance - R: 0,06 m<sup>2</sup>K/W
- Punctual conformability - PC:  $\geq 1,5$  mm
- Impact noise reduction - IS: 18 dB



# Floor Base 3mm

## Suitable:


- XPS underlay for floating floors

## Product information

- Impact resistance
- Perfect insulating properties
- High acoustic resistance
- Resistance to intensive exploitation
- Easy and quick assembly

## Technical data:

- Reflecting walking sound - RWS: 9%
- Compressive Strength - CS: 10 kPa
- Compressive Creep resistance - CC:  $\geq 2$  kPa
- Thermal resistance - R: 0,09 m<sup>2</sup>K/W
- Punctual conformability - PC:  $\geq 2$  mm
- Impact noise reduction - IS: 18 dB



# Floor Base 5mm

## Suitable:


- XPS underlay for floating floors

## Product information

- Impact resistance
- Perfect insulating properties
- High acoustic resistance
- Resistance to intensive exploitation
- Easy and quick assembly

## Technical data:

- Reflecting walking sound - RWS: 9%
- Compressive Strength - CS: 10 kPa
- Compressive Creep resistance - CC:  $\geq 2$  kPa
- Thermal resistance - R: 0,16 m<sup>2</sup>K/W
- Punctual conformability - PC:  $\geq 4$  mm
- Impact noise reduction - IS: 18 dB



# Max SD Pro



## Suitable:


- High density polyethylene underlay with integrated PE vapor barrier and increased impact sound reduction, suitable for floor heating.

## Product information

- Closed cells UHD polyethylene foam used for installation of LVT floors
- Antislip surface for locking system protection
- Designed for highest floor heating efficiency according to EPLF (European Producers of Laminate Flooring)
- For high demands on pressure stability under heavy loaded floors

## Technical data:

- Reflecting walking sound - RWS: 12%
- Compressive Strength - CS: 60 kPa
- Compressive Creep resistance - CC: > 25 kPa
- Thermal resistance - R: 0,037 m<sup>2</sup>K/W
- Punctual conformability - PC: 1,40 mm
- Impact noise reduction - IS: 20 dB



# LVT Antislip Max



## Suitable:


- High density polyethylene underlay with antislip layer designed for LVT floors with CLICK system, offering very good floor heating compatibility

## Product information

- Closed cells UHD polyethylene foam used for installation of LVT floors
- Antislip surface for locking system protection
- Designed for highest floor heating efficiency according to EPLF (European Producers of Laminate Flooring)
- For high demands on pressure stability under heavy loaded floors
- Very high material density.

## Technical data:

- Reflecting walking sound - RWS: 8%
- Compressive Strength - CS: 200 kPa
- Compressive Creep resistance - CC: > 50 kPa
- Thermal resistance - R: 0,024 m<sup>2</sup>K/W
- Punctual conformability - PC: 0,95 mm
- Impact noise reduction - IS: 16 dB



# LVT Alu Extreme



## Suitable:


- Permanently elastic, heavy underlay with patented RWS Barrier base material, specially developed for LVT designfloors

## Product information

- Specially developed for the LVT designfloors
- Designed for highest floor heating efficiency according to EPLF (European Producers of Laminate Flooring)
- Unrivalled walking sound improvement (RWS) thanks to RWS Barrier
- For highest demands on pressure stability under heavy loaded floors

## Technical data:

- Reflecting walking sound - RWS: 33%
- Compressive Strength - CS: 400 kPa
- Compressive Creep resistance - CC: > 50 kPa
- Thermal resistance - R: 0,006 m<sup>2</sup>K/W
- Punctual conformability - PC: 1,10 mm
- Impact noise reduction - IS: 17 dB



# Extreme ALU Heat



## Suitable:



- Permanently elastic, heavy underlay with patented RWS Barrier base material, specially developed for heated floors

## Product information

- Designed for highest floor heating efficiency according to EPLF (European Producers of Laminate Flooring)
- Unrivalled walking sound improvement (RWS) thanks to RWS Barrier
- For highest demands on pressure stability under heavy loaded floors
- Integrated, metalised vapor barrier

## Technical data:

- Reflecting walking sound - RWS: 39%
- Compressive Strength - CS: 298 kPa
- Compressive Creep resistance - CC: > 50 kPa
- Thermal resistance - R: 0,008 m<sup>2</sup>K/W
- Punctual conformability - PC: 1,10 mm
- Impact noise reduction - IS: 18 dB



Tools -  
cleanly processed  
and securely fastened



# With our specialists from Team Döllken master great challenges while playing

The tools from Döllken Profiles are unique and offer various features and advantages:

- a high workload during installation
- qualitatively perfect results
- a comprehensive range of proven system tools
- the hot melt adhesive fixing system ensures fast, clean and secure fixing

## Overview of the tools

Page

Mitre tool type 2001/ Mitre tool set .....	142
Mitre tool accessories .....	143
Strip cutter & replacement blades .....	144
Dry adhesive tapes .....	145
Skirting scissors .....	145
Floorboard & Accessories .....	146
Hot melt adhesive system.....	147
Easy-Scooter .....	148
Assembly-Hammer.....	148
Joint Filler-set .....	149
Joint filler tube or cartridge .....	148
Cleaner .....	149

See tools in the set? Then take a look at our processing videos:  
on YouTube, our website [www.doellken-profiles.com](http://www.doellken-profiles.com) or in the app.

i

# Mitre tool type 2001 (Mitre tool set) for Döllken solidcore skirtings



NEU

The measuring template  
for the mitre tool is  
available in a new version!

## Product information

- for punching all Döllken Solidcore skirtings; simply by plugging or retooling the Clamping device to XL  
\* also suitable for thick Solidcore skirtings (Cubu flex life XL, Cubu Touch & Style and Hamburg style)
- simple determination of the punching point with the measuring template
- extensive accessories such as a case for the tool, press-on inserts
- for punching design cover strips, especially with the core skirting boards D 60 or C 60, measuring template

\* Cubu XL can only be punched with the clamplever XL.



All skirting boards that can be processed with the punch are marked with this icon.

	Type	item-nr.
1	Mitre tool type 1001	5105431
2	Base plate for mitre tool	5106890
3	Double plug-in plate analog for mitre tool type 2001	5106892
4	Vertical clamp for universal mitre tool type 2001	5106893
5+6	Handle with spring for mitre tool	5106894
7	Replacement knife for mitre tool	5106896
8	Knife guide block for mitre tool	5106885
9	Replacement spring for mitre tool	5106897
10	Measuring template for mitre tool	
11	Punches (empty)	
12	Die-Holdfast for design floors	5105434
13	Protective cover	

The suitcase set is available in two sizes:

### small suitcase set:

Punch | NEW case | Carrying strap |  
Skirting scissors | Press-on inserts | trestles |  
Measuring template | clamplever XL | Oil bottle |  
Folding rule | pencil

### big suitcase set:

small suitcase set + hot melt glue gun |  
Adhesive Sticks (5x Orange, 5x Transparent) |  
strip cutter

i

## Mitre tool set

Compact and well organized!  
The punch is also in complete  
Suitcase set available.



# Mitre tool accessories: Clamping device XL and holdfast



All skirtings to be processed with clamping device XL are marked with this icon.



## Product information

- for angular cutting edges - fast and clean
- blacker lever: Cubu XL
- Mitre tool design coverings on heterogeneous design coverings with soft backs, suitability must first be tested



## Mitre tool accessories: trestles



## Product Information

- for optimum support of the core skirting boards while punching
- suitable for the following core skirting boards: EP 60/13, Cubu flex life, Cubu flex life XL, Cubu flex life Premium, Cubu Stone & Style, Cubu Touch & Style, Hamburger Stil
- profiles with thin core (4.5 mm thick) are punched without trestles

# Strip cutter (for design flooring strips)





## Product Information

- Suitability for cutting design covering stripes for the core skirting boards D 60 and C 60
- easy to handle, handy format
- supplementing the punch suitcase
- for 51 mm wide strips



All strips to be processed with strip cutter are marked with this icon.

# Replacement blades for strip cutter



## Product Information

- special blade grind and an additional coating increase blade lifespan and allow a stable precise cut
- handy safety dispenser for the blade reserve, always on site - safe and easy removal
- Punching complete set is equipped with 1 VE (70 spare blades)

# Dry adhesive tapes



Dry adhesive tapes befinden sich nicht im Lieferprogramm von Döllken, bitte fragen Sie Ihren Großhändler.

i

### Product Information

- For attaching a variety of our skirting boards we recommend gluing with assembly tapes
- [Toptac 35 or Remur] from UZIN
- Assembly products made by UZIN are a perfect fit for attaching Döllken skirting boards. This guarantees a safe, craftsman-friendly assembly.



All strips to be fastened with UZIN assembly tapes are marked with this icon.

# Skirting scissors



### Product information

- for precise cutting of boards and profiles



All with the skirting scissors to be processed bars are marked with this icon.

# Floorboard



## Product information

- Ideal for floor and tiling, grouting and painting
- FLOORBOARD, the indestructible Knieroller is a must for every professional who does kneeling work
- Even after hours, an even fatigue-free work is possible

## Why do I need a floorboard?

- spares knees and back
- versatile and optimal mobility
- highly stable construction

## Technical specifications:

- Size: 57 x 33 x 9 cm (L x W x H)
- Load capacity: up to 150 kg
- Weight: about 4 kg

## Additional uses:

- Receiving area for containers: 30 x 40 cm (L x W)
- Bulge for mixing buckets up to 31.5 cm in diameter

## Spare parts for the floorboard:



Foam



Wheels



i

Werkzeuge zur Reparatur senden Sie bitte an:  
Döllken Profiles GmbH,  
Industriestraße 1, 59199 Bönen

# Hot melt adhesive system



## Product information

- Especially for the professional bonding of Solidcore skirtings and Skirting Board System

## Consisting of:

- Hot-melt adhesive gun HKP 220 including case, cranked nozzle and 4.5 m cable
- Hot-melt adhesive HKS18/300 for using the hot-melt adhesive gun HKP 220
  - 1 sales unit: 5 bags of 2 kg = 10 kg
  - 1 sales unit: 1 bucket 5 kg



All strips to be processed with hot-melt adhesive are marked with this icon.

## Spare part:



spare nozzle

# Easy-Scooter



i

The Easy-Scooter is only with the assembly hammer (without Skirting scissors) delivered!

The skirting scissors can be found on page 145.

## Product information

- Roll-off device for quick and precise attachment of flexible skirtings
- indestructible roll-off device for every publisher of flexible skirtings a must

## Wozu brauche ich ein Abrollgerät für Flexible skirtings:

- Effortless, fast, even removal of the soft skirting from the roll
- versatile and optimal mobility
- Fixingsmöglichkeit for laying tools
- [Rubber
- hammer / Skirting
- scissors]
- highly stable construction



All strips to be processed with the Easy-Scooter are marked with this icon.

## Technical specifications:

- Size: ø 50 cm
- Load capacity: up to 50 kg
- Weight: approx. 5 kg (without flexible skirtingsrolle and tool)

## Additional uses:

- Removal of edge insulation strips, cables, wire etc...

# Assembly-Hammer



All bars to be processed with the Assembly Hammer are marked with this icon.

## Product information

- The assembly hammer is also available separately

# Joint Filler-set



All skirtings to be processed with the Joint Filler set are marked with this icon.



**NEW!**

## Product information

- Perfects the installation for all white skirting boards - for joints and shadow gaps
- Close profile joints and joints easily
- The pasty 1K filler is easy to apply from the outside and adapts to every nip
- Resulting overhangs of the filler can be easily pulled smooth with a scraper and removed with a cleaner
- Screw nozzle as replacements available on request

## Accessories

- Joint Filler
- Cleaner
- Screw nozzle
- Scraper
- Cotton cloth
- Felt cleaning pad

Joint Filler and Cleaner are available individually or as a set!

i

## Joint filler tube or cartridge



## Product information


- Joint Filler as practical single tube (150g) or Cartridge (500g)
- Cleaner in the 250 ml bottle

## Cleaner



**Important NOTE:**  
The Joint Filler-Cleaner may only be used on uni Colorsen skirtings!

i



# SB-Accessories

# Useful helpers and allrounders for the daily use

## Overview the SB-Accessories

	Page
Decor-Fill .....	152
Parquet set .....	152
Bats for parquet laying .....	153
Pulling iron for parquet laying .....	153
Wooden wedges for laying parquet .....	154
Plastic wedges .....	154
Tensioning strap for parquet laying .....	155
Anti-slip mat .....	155
Edge band .....	156
Edge cutter for edge band .....	157
Soft edge .....	157
Panel intermediate and final profile .....	158
Heating pipe rosette .....	158
Steel pins .....	159
Skirting pins .....	159
Screws and dowels .....	159

# Decor-Fill




## Product information

- Tube, 30 g
- SB pack with instructions
- Repair paste to repair minor damage to laminate floors

## Accessories, colors, packaging

- 1 pkg. = 6 pcs.

## Colors



# Parquet set



## Product information

- Zugeisen
- Bats for parquet laying
- 24 Kunststoffkeile

## Accessories, colors, packaging

- 1 pkg. = 6 x 24 pcs.

# Bats for parquet laying



## Product information

- Length: 30 cm

- 1 pkg. = 12 pcs.

## Accessories, colors, packaging

- 1 pkg. = 6 x 24 pcs.

# Pulling iron for parquet laying



## Product information

- Length: 30 cm

## Accessories, colors, packaging

- 1 pkg. = 6 pcs.

# Wooden wedges for laying parquet



## Product information

- 12 pcs.
- with assembly instructions

## Accessories, colors, packaging

- 1 pkg. = 10 pcs.

# Plastic wedges




## Product information

- 30 pcs. in the carton

## Accessories, colors, packaging

- 1 pkg. = 10 x 30 pcs.

# Tensioning strap for parquet laying



## Product information

- Belt length: 5 m

## Accessories, colors, packaging

- 1 pkg. = 5 pcs.

# Anti-slip mat



## Product information

- Carpet underlay for all smooth and hard floors
- Non-slip grid covering
- Dimensionally stable and durable
- Hygienic and breathable
- Lasts through the life of the carpet damping effect
- Washable up to 30° C
- SB-pack

## Dimensions

- |                                   |                                   |
|-----------------------------------|-----------------------------------|
| • Width: 0,60 m<br>Lenght: 1,30 m | • Width: 1,60 m<br>Lenght: 2,30 m |
| • Width: 0,80 m<br>Lenght: 1,50 m | • Width: 1,90 m<br>Lenght: 2,40 m |
| • Width: 1,20 m<br>Lenght: 1,90 m | • Width: 2,40 m<br>Lenght: 2,90 m |

## Accessories, colors, packaging

- 1 pkg. = 1 pcs.

# Edge band



## Product information

- Reliable coverage of cut edges
- Umfangroak's standard assortment in stock, many more
- Executions available at short notice
- SB pack with assembly instructions

## Accessories, colors, packaging

- 1 pkg.= 10 x 5m (in 20 mm width further widths on request)

## Colors



# Edge cutter for edge band



## Product information

- SB pack with instruction

## Accessories, colors, packaging

- 1 pkg. = 8 pcs.

# Soft edge



## Product information

- Ideal for curved and straight edges on shelves, plates, doors and furniture
- Dirty veneers or cut edges are elegantly concealed
- Simple assembly with contact adhesive or hot glue gun

## Available in the following sizes:

- 16 mm
- 19 mm (available in white only)

## Accessories, colors, packaging

- 1 pkg. = 10 x 1 pcs.

## Colors




white



black

# Panel intermediate and final profile



## Product information

- Plastic hard
- For plates thicknesses up to 4.5 mm

## Accessories, colors, packaging


- 1 pkg. = 10 x 2,6 mm

## Colors



white

# Heating pipe rosette



## Product information

- For harmonious completion of disturbing heat pipe transitions on the wall or on the floor
- Easy mating for a secure fit
- Permanent hold by additional fixation with adhesive
- SB pack with assembly instructions

## In folgenden Größen erhältlich:

- 18 mm
- 22 mm

## Accessories, colors, packaging

- 1 pkg. = 10 pcs.

## Colors



white



silver



light beech  
/ oak

# Steel pins



## Product information

- for skirting boards
- available length:
  - 25 mm
  - 35 mm
  - 45 mm

## Accessories, colors, packaging

- 1 pkg. = 20 x 100 pcs.



All strips to be processed with the Steel pins are marked with this icon.

# Skirting pins



## Product information

- length: 32 mm

## Accessories, colors, packaging

- 1 pkg. = 20 x 100 pcs.

## Colors



white



maple/pine



oak/  
cherry



walnut tree/  
mahogany

# Screws and dowels



## Accessories, colors, packaging

- SB: 1 pkg. = 20 x 15 pcs.

## Colors



silver



brass



bronze

